Form 3160-3 (July 1992)

UNITED STATES
DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE

RIPLICATE' FORM A uctions on OBM NO

reverse side) Expires: Pe

FORM APPROVED
OBM NO. 1884-0136
Expires: Pebruary 28,1993

EXPIRES: PEDITURY 28,1995


5. LEASE DESIGNATION AND SERIAL NO.

BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO	DRILL OR DEEPEN	6. IF INDI	AN, ALLOTTEE C	R TRIBE NAME
TYPE OF WORK			N/A	٩
DRILL X DEEPEN		7. UNIT A	GREEMENT NAM	E
			RED W	/ASH
TYPE OF WELL GAS	SINGLE MULTIPLE	2 FARM (R LEASE NAME	
ELL X WELL OTHER	ZONE X ZONE		M LEAGE MAME	
NAME OF OPERATOR			RW #3	1-25A
henandoah Energy Inc.		9. API WE	LL NO.	
ADDRESS AND TELEPHONE NO. Phone: 435-781-4341	11002 East 17500 South	•		
Fax: 435-781-4329	Vernal, Utah 84078	10. FIELD	AND POOL, OR	WILDCAT
LOCATION OF WELL (Report location clearly and in accordance with	any State requirements.*)		RED V	/ASH
surface	4449473 N	44 850	Г.,R.,M., OR BLK	
248' FNL 2159' FEL NW NE proposed prod. Zone	637425E		VEY OR AREA	
ame	01,7000	Sec	. 25, T7S, I	R22E, SLB&M
DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POS	ST OFFICE.	12. GOUN	TY OR PARISH	13.STATE
miles West of Redwash Utah			Jintah	Utah
. DISTANCE FROM PROPOSED	16. NO. OF ACRES IN LEASE	17. NO. OF ACRES AS: TO THIS WELL	SIGNED	
cation to nearest 1248'	1920		40	
so to nearest drig. Unit line if any)	19. PROPOSED DEPTH	20. ROTARY OR CABL		
DISTANCE FROM PROPOSED LOCATION*	5967	20. ROTART OR GABL	Rotary	
R APPLIED FOR ON THIS LEASE, FT.	3307	<u> </u>	OX. DATE WORK	
. ELEVATIONS (Show whether DF, RT, GR, etc.)		22. APPR	A.S.	
482.8'			H.3.	M.F
tate of Utah requirements. ee Onshore Order No. 1 attached. lease be advised that Shenandoah Energy Inc. is consid henandoah Energy Inc. agrees to be responsible under t	ered to be the operator of the a	bove mentioned w	eli.	
onducted upon the lease lands. ond coverage for this well is provided by Bond No. 0969	. The principal is Shenandoah			
nergy Inc. via surety as consent as provided for in 43 CI	FR 3104.2.			
I ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen,	give data on present productive zees and proper vertical depths. Give blowest preventer program	ed new productive zone. If p	repeasi is to drill or	
IGNED JOHN BUSE	ch TITLE Red Wash Operation	ons Representative	DAT	E May 19,2000
hie space for Pederal or State office use)				
ERMIT NO. 43-047-33577	APPROV		<u></u>	
pplication approval does not warrant or certify that the applicant halds legal or ONDITIONS OF APPROVAL, IF ANY:	BRADLEY GREGLAMATION SF	i. HILL	.	nduct operations thereo
*Se			`	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or faudulent statements or representations as to any matter within its jurisdiction.

Federal Approval of this Action is Necessary MAY 2 2 2000



DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth	Prod. Phase Anticipated
Uinta	Surface	
Green River	3047'	
Mahogany Ledge	3999'	
Mesa	5792'	
TD (Green River)	5967'	Oil

2. <u>Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones</u>
The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Green River	5967'


All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 2386.8 psi.

4. <u>Surface Owner</u> Federal




MAY 2 2 2000

DIVISION OF

MULTI-POINT SURFACE USE & OPERATIONS PLAN

SHENANDOAH ENERGY INC. RED WASH #31-25A NW NE SEC. 25, T7S, R22E UINTAH COUNTY, UTAH

See attached maps
Topo map A- Access routes
Topo map B- Proposed Access road
Topo map C- Location of wells within a one mile radius
Topo map D- Proposed pipeline



MAY 2 2 2000

DIVISION OF GAS AND MINUS

Lessee's or Operator's Representative:

John Busch Red Wash Operations Rep. Shenandoah Energy Inc. 11002 East 17500 South Vernal, Utah 84078 (435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


John Busch Red Wash Operations Representative

Date

was been in the

MAY 2 2000


DIVISION OF L, GAS AND MINIO




SHL-VANDOAH ENERGY, -NC. CROSS SECTIONS RED WASH #31-25A 20, 11 STA. 3+25 1" = 50'20, STA. 2+50 1" = 50'FINISHED GRADE EXISTING GRADE 20, WELL HOLE 1" = 50'STA. 1+75 20, CEVED 1" = 50'STA. 0+00 MAY 2 2 2000 APPROXIMATE YARDAGES CUT = 5,090 Cu. Yds.**DIVISION OF** L, GAS AND MINING FILL = 5,090 Cu. Yds.PIT = 1,630 Cu. Yds. 6" TOPSOIL = 1,200 Cu. Yds. (435) 781-2501 Tri State (435) 781 Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078 1" = 50' SCALE: SURVEYED BY: C.D.S. 5/18/00 DRAWN BY: B.J.S. DATE:

SHENANDOAH ENERGY, INC.

TYPICAL RIG LAYOUT RED WASH #31-25A



38 WEST 100 NORTH, VERNAL, UTAH 84078



SHENANDOAH ENERGY INC.


RED WASH #31-25A SEC. 25, T7S, R22E, S.L.B.&M.


TOPOGRAPHIC MAP "A"




Drawn By: SS	Revision:
Scale: 1" = 4000'	File:
Date: 5-15-00	

Tri-State Land Surveying Inc. P.O. Box 533, Vernal, UT 84078 435-781-2501 Fax 435-781-2518







WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVE	ED: 05/22/2000	API NO. ASSIGNE	ED: 43-047-3357	7
OPERATOR:	RWU 31-25A SHENANDOAH ENERGY INC (N4235) JOHN BUSCH	PHONE NUMBER: 43	35-781-4341	
PROPOSED LO		INSPECT LOCATN	BY: / /	
NWNE SURFACE	25 070S 220E : 1248 FNL 2159 FEL	Tech Review	Initials	Date
BOTTOM: UINTAH	1248 FNL 2159 FEL	Engineering		
RED WAS	н (665)	Geology		
LEASE TYPE		Surface		
LEASE NUMBE	ER: U-0561 NER: 1-Federal			
	DRMATION: GRRV			
Plat Bond: (No. No. No. Water (No. No. RDCC (Date	ND/OR REVIEWED: Fed[1] Ind[] Sta[] Fee[] UT-0969 Sh (Y/N) Shale (Y/N) *190 - 5 (B) Fermit 43-8496 Review (Y/N) te:) Surf Agreement (Y/N)	R649-3-2. 6 Siting: R649-3-3. E Drilling Uni Board Cause Eff Date: Siting:	Init <u>Led Was</u> General Exception	
COMMENTS:	Red Wash (5.0.P.), separe			
STIPULATION	15: (1) DEDERAL APPRO	NAC.		
			<u></u>	




Serving the Industry, Protecting the Environment

OPERATOR: SHENANDOAH ENERGY (N4235)

FIELD: RED WASH (665)

SEC. 25, T 7 S, R 22 E,

COUNTY: UINTAH UNIT: RED WASH



PREPARED DATE: 2-JUN-2000

SHENANDOAH ENERGY INC.

11002 East 17500 South Vernal, UT 84078 Phone: (435) 781-4300 Fax (435) 781-4329

May 19, 2000

Division of Oil, Gas & Mining 1594 W. N. Temple STE 1210 Salt Lake City, UT 84114-5801

To Whom It May Concern:

Shenandoah Energy Inc. Red Wash Unit(s) 42-25A, 11-25A, 31-25A, 13-25A, 33-25A are exception locations due to a closure of 700' ± between township 22E and 23E; to keep our water flood pattern we relocated wells. This lease #(U-0561) is under the Red Wash Unit Agreement and all owners are committed under the Unit Agreement.

There are no additional lease owners within 460' of this proposed well. If you have any question please contact John Busch @ (435) 781-4341.

Thank you,

John Busch

Operations Representative

low Busch

RECEIVED

MAY 2 3 2000

DIVISION OF OIL, GAS AND MINING

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

June 6, 2000

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject: 2000 Plan of Development Red Wash Unit,

Uintah County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for completion in the Green River Formation for calendar year 2000 within the Red Wash Unit, Uintah County, Utah.

Api Number	₩ell	Location
43-047-33574	RWU 11-25A	1206 FNL 0491 FWL Sec. 25, T7s, R22E
43-047-33575 43-047-33576	RWU 13-25A RWU 21-25A	1446 FSL 0664 FWL Sec. 25, T7S, R22E 0105 FNL 1916 FWL Sec. 25, T7S, R22E
43-047-33577	RWU 31-25A	1248 FNL 2159 FEL Sec. 25, T7S, R22E
43-047-33578 43-047-33579	RWU 33-25A RWU 41-25A	1413 FSL 1809 FEL Sec. 25, T7S, R22E
43-047-33580	RWU 42-25A	0224 FNL 0819 FEL Sec. 25, T7S, R22E 2464 FNL 0841 FEL Sec. 25, T7S, R22E

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Red Wash Unit

Division of Oil Gas and Mining

Agr. Sec. Chron Fluid Chron

MCoulthard:mc:6-6-0



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Division Director 1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

June 6, 2000

Shenandoah Energy Inc. 11002 East 17500 South Vernal, UT 84078

Re:

Red Wash Unit 31-25A Well, 1248' FNL, 2159' FEL, NW NE, Sec. 25, T. 7 South,

R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33577.

Sineerely,

Jøhn R. Baza

Associate Director

er

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Shenandoah Energy Inc.					
Well Name & Number Red Wash Unit 31-25A						
API Number:	43-047-33577					
Lease:	U-0561					
Location: <u>NW NE</u>	Sec. 25	T. 7 South	R. 22 East			

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338
- Contact Robert Krueger at (801) 538-5274.

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.


4. State approval of this well does not supersede the required federal approval which must be obtained prior to drilling.

COAs Page 1 of 4 Well No.: RWU 31-25A

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Shenandoah Energy Inc.
Well Name & Number: RWU 31-25A
API Number: <u>43-047-33577</u>
Lease Number: <u>U - 0561</u>
Location: NWNE Sec. 25 T. 7S R. 22E
Agreement: RED WASH UNIT

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.



COAs Page 2 of 4 Well No.: RWU 31-25A

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL


Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the shallowest potential productive zone.



COAs Page 3 of 4 Well No.: RWU 31-25A

SURFACE CONDITIONS OF APPROVAL

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards for Oil and Gas Exploration and Development</u>, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, and crowning (2 to 3%). Graveling or capping the roadbed will be required as necessary to provide a well constructed safe road. Prior to construction/upgrading, the proposed road surface or existing road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Should mud holes develop, they shall be filled in to prevent detours. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainage be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. When snow is removed from the road during the winter months, the snow should be pushed outside of the burrow ditches and the turn outs should be kept clear so that when the snow melts the water will be channeled away from the road.

Shenandoah Energy will control noxious weeds along the right-of-way for roads, pipelines, well sites or other applicable facilities. If noxious weeds spread from disturbed areas onto adjoining lands, Shenandoah shall be responsible for control of the infestation. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.


4 to 6 inches of topsoil shall stripped from the location and windowed along the entire east side of the location between corners 1 and 8 rather than as shown on the cut sheet. This topsoil shall be seeded as described in the standard operating plan with the recommended seed mix shown below.

Since the pipeline basically crosses the access road, no surface reclamation will be required for the pipeline disturbance.

The following seed mix should be used to seed the topsoil pile, reserve pit and for final abandonment:

Fourwing saltbush
Needle and thread grass
Western wheatgrass
Atriplex canescens
Stipa comata
Agropyron smithii
4 lbs./acre
4 lbs./acre

All poundages are in pure live seed.




COAs Page 4 of 4 Well No.: RWU 31-25A

The seeding of the reserve pit shall be done in the same manner as the seeding of the topsoil pile, however, seeding of the pipeline disturbance and the location after final abandonment could be completed by drilling the seed, broadcasting the seed and dragging the disturbed area to cover the seed, or by broadcasting the seed then walking it in with a dozer.

All seeding shall be done immediately after the dirt work has been completed.

The reserve pit shall be lined with a plastic nylon reinforced liner. It will be a minimum of 12 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit.



Form 3160-3 (July 1992)

UNITED STATES

DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE

FORM APPROVED OBM NO. 1004-0136 Experos: Penrusry 28,1999

S. LEASE DESIGNATION AND SERIAL NO.

ADDRESS AND TRILEPHONE NO. Phone: 435-781-4341 11002 East 17500 South Fax: 435-781-4329 Vornal, Utah 84078 LLCATION OF WELL (Report location desay and in accordances with any State requirements.") LLCATION OF WELL (Report location desay and in accordances with any State requirements.") LLCATION OF WELL (Report location desay and in accordances with any State requirements.") LLCATION OF WELL (Report location desay and in accordances with any State requirements.") LLCATION OF MELL (Report location desay and in accordances with any State requirements.") LLCATION OF MELL (Report location desay and in accordances with any State requirements.") LLCATION OF MELL (Report location desay and location desay an	Bureau of Land Managem	KENT		U-0561		
DRELL X DEEPEN	APPLICATION FOR PERMIT TO	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME			
DEPLE TYPE OF WILL TYPE OF WILL ADDRESS AND TREATMENT OF THE TOTAL TYPE TO THE TYPE TO THE TOTAL TYPE TO THE TOTAL TYPE TO THE TOTAL TYPE TO THE TYPE TO THE TOTAL TYPE TO THE TYPE TO T	. TYPE OF WORK			N	/ A	
AND CONSTRUCT OF WELL CASE AND THE STATE OF SEATON AND THE STATE OF S				7. UNIT AGREEMENT NA	ME	
AND STATE OF	TYPE OF WELL			RED I	WASH	
RW #31-25A Rhemandosh Energy Inc. Aposses and yell-provide no. Phones 435-781-4341 11002 East 17500 South Fax: 435-781-4329 Vernal, Utah 84078 In. Freild and pool, or willcar RED WASH 11. SEC.T.L.B. OR POOL, OR WILLEAT In. SEC.T.L.B. OR PO	RL GAS			S. FARM OR LEASE NAM	E, WELL NO.	
Shenandoah Energy Inc. A. API WELL NO. First 435-781-4329 Vormal, Utah 84078 To FIELD AND POOL, OR WILDOAY RED WASH 15. SELT, M. OR BLK WELL NO. AND SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M In SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M In SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M In SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M In SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M In SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M Sec. 25, T7S, R22E, SLB&M In SWAYEV OR AREA Sec. 25, T7S, R22E, SLB&M In SWAYEV OR A		ZONE C ZONE		RW #3	31-25A	
Fax: 435-781-4329 Vermal, Utah 84078 It. DEGRITION OF WILLE (Report location clearly and in asserdance with any State requirements.") RED WASH 1246F FNI. 2159* FEL. NW NE 1246F FNI. 2159* FEL. NW NE A BRITANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 5 miles West of Redwash Utah I. RESTLACE FROM FROMESE* OCATION TO NEAREST TOWN PROPERS* OCATION TO NEAREST TOWN PROPERS* OCATION TO NEAREST WILL, SPRILLING, CORPLETED, OCATION TO NEAR	Shenandoah Energy Inc.			9. API WELL NO.		
LOCATION OF WELL (Report tooution clearly and in accordance with any State requirements.") RED WASH 11. SEC.,T.A.L., OR BLK AND SURVEY OR AREA Sec. 25, T75, R22E, SLB&M 14. DETAILED IN NILES AND DIRECTION FROM MEAREST TOWN OR POST OFFICE* 13. COUNTY OR PARALET 14. DETAILED PROPOSED* 15. HO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED 18. PROPOSED BEFTH 1920 18. PROPOSED BEFTH 1920 19. PROPOSED BEFTH 1920 19. PROPOSED BEFTH 20. ROTARY OR CARLE TOOLS ROTARY 19. PROPOSED BEFTH 22. APPROX. DATE WORK WILL START* A.S.A.P 23. PROPOSED CARNO AND CEMENTHOP PROPOSED 19. PROPOSED	ADDRESS AND TELEPHONE NO. Phone: 435-781-4341	11002 East 17500 Sout	h		·	
ADDRESS OF THE NAME AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 4. INSTANCE FOR PROPOSEDS* 4. INSTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 5. INIDEA West Of Redwash Utah 4. INSTANCE FOR PROPOSEDS* 12. INSTANCE FOR PROPOSEDS* 13. INSTANCE FOR PROPOSEDS* 14. INSTANCE FOR PROPOSEDS* 15. INSTANCE FOR PROPOSEDS* 16. INSTANCE FOR PROPOSEDS* 17. INC. OF ACRES IN LEASE 17. INC. OF ACRES IN LEASE 19. INSTANCE FOR PROPOSEDS* 18. ROTARY OR CABLE TOOLS 18. ROTARY OR CABLE TOOLS 19. ROTARY OR CABLE TOOLS 19. ROTARY OR CABLE TOOLS 10. ROPOSED CABLING AND CERMINITIES PROPOSED MATERIAL FT. 11. REPOSEDS CABLING AND CERMINITIES PROPOSED MATERIAL FT. 12. APPROV. DATE WORK WILL START A.S.A.P 12. APPROV. DATE WORK WILL START A.S.A.P 13. REPOSEDS CABLING AND CERMINITIES PROPOSED MATERIAL FT. 14. REPOSED OR START OR CABLE TOOLS 15. REPOSEDS CABLING AND CERMINITIES PROPOSED FT. IN THE WEST OF THE WORK WILL START 16. ASSOCIATED FOR ON THIS LEASE, FT. 17. C. IN THE WILL START 18. ROTARY OR CABLE TOOLS 18. ROTARY OR CABLE TOOLS 19. ROTARY OR CABLE		•		10. FIELD AND POOL, OR	WILDCAT	
ADD SURVEY OR AREA Sec. 25, T7S, R2ZE, SLB&M Sec. 25, T7S, R2ZE, SLB,M Sec. 25, T7S, R2ZE, SLB,M Sec. 25, T7S, R2ZE, SLB,M	i. LOCATION OF WELL (Report location clearly and in accordance with a At surface	ny State requirements.')		RED 1	WASH	
Sec. 25, T78, R22E, SLB&M 4. BEFARCE IN HILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 11. COUNTY OR PARISH 11. SUSTANCE TROM PROPOSES* 12. SINGLE WEST OF Redwash Utah 12. SINGLE WEST OF REDWARD 13. SINGLE WEST OF REDWARD 14. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED TO THIS WILL 40 10. DEFARCE TWILL SHILLING, CORPLETED, 10. PROPOSED DEFTIN 10. PROPOSED DEFTI	1248' FNL 2159' FEL NW NE				<	
A SETANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12. COUNTY OR PARISH 13. STATE Ulintah 14. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED TO THIS WELL 40 18. DETANCE THOM PROPOSES? 1920 19. ROTARY OR CASELE TOOLS 40 10. ROTARY OR CASELE TOOLS ROCATION IN DELANE, TO 11. REVERTANCE TOOL THOM PROPOSED SEPTIN 12. APPROVAL DATE WORK WILL START* A.S.A.P 12. APPROVAL DATE WORK WILL START* A.S.A.P 13. PROPOSED CASHING AND CEMENTHAD PROGRAM REFERE TO S.O.P. 14. REVERTANCE OF ON THIS LEASE, TO 15. PROPOSED CASHING AND CEMENTHAD PROGRAM REFERE TO S.O.P. 15. PROPOSED CASHING AND CEMENTHAD PROGRAM REFERE TO S.O.P. 16. COUNTY OR PARISH 17. NO. OF ACRES ASSIGNED 17. NO. OF ACRES ASSIGNED 18. PROPOSED DEPTH 1920 10. ROTARY OR CASELE TOOLS ROCATION 10. ROTARY OR CASELE TOOLS ROCATION 11. REVERTANCE OF WITH LEASE, TO 12. APPROVAL DATE WORK WILL START* A.S.A.P 12. APPROVAL DATE 13. PROPOSED CASHING AND CEMENTHAD PROGRAM REFERE TO S.O.P. 14. APPROVAL DATE 15. STATE 17. NO. OF ACRES ASSIGNED TO THE ASSIGNED 16. ROTARY OR CASELE TOOLS 16. ROTARY OR CASELE TOOLS 16. ROTARY OR CASELE TOOLS 17. NO. OF ACRES ASSIGNED TOOLS 40 18. ROTARY OR ACRES IN LEASE 1920 10. ROTARY OR CASELE TOOLS ROCATION 10. ROTARY OR CASELE TOOLS ROCATION 12. APPROVAL DATE 12. COUNTY OF ACRES ASSIGNED TOOLS 13. ROTARY OR CASELE TOOLS ROCATION 15. ROTARY OR CASELE TOOLS ROCATION 16. ROTARY OR CASELE TOOLS ROCATION 17. NO. OF ACRES ASSIGNED TOOLS 17. NO. OF ACRES ASSIGNED TOOLS 17. NO. OF ACRES ASSIGNED TO THE WILL 18. ROCATION 17. NO. OF ACRES ASSIGNED TOOLS 17. NO. OF ACRES ASSIGNED TOOLS 17. NO. OF ACRES ASSIGNED TO THE WILL 17. NO. OF ACRES ASSIGNED TOOLS 18. ROCATION 18. ROCATION 19. ROCATION				t	R22E. SLB&M	
S miles West of Redwash Utah 15. BISTANDE FROM PROPOSES* COCATION TO REARREST 1 1248* 1 1		T OFFICE*		I		
TO THIS WELL TO AND THIS WELL	5 miles West of Redwash Utah			· ·		
1920 40 10. BITATORIS (ROM PROPOSED LOCATION* 10. PROPOSED DEPTH SOR ON PROPOSED LOCATION* 10. ROTARNO PROPOSED LOCATION* 10. PROPOSED DEPTH SOR ON THIS LEARS, PT. 10. ROTARNO PROPOSED LOCATION* 10. ROTARNO OR THIS LEARS, PT. 12. APPROX. DATE WORK WILL START* 13. PROPOSED CASING AND CEMENTING PROGRAM 14. SELECT TO S.O.P. 13. PROPOSED CASING AND CEMENTING PROGRAM 14. REFERE TO S.O.P. 14. RESIDENCE OF THIS Well is proposed to drill a well to 5957 to test the Green River. If productive, issuing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and kites of Utah requirements. 15. Personal behavior of the selection of the lease for the replacements. 15. Personal behavior of the selection of the lease for the operations conducted upon the lease leade. 15. Personal behavior of the selection of the lease for the operations conducted upon the lease leade. 16. Personal behavior of the selection of the lease for the operations conducted upon the lease leade. 16. RESIDENCE OF APPROVAL DATE NOTICE OF APPROVAL DATE May 19,2000 16. RESIDENCE OF APPROVAL DATE NOTICE OF APPROVAL APPROVAL DATE NOTICE OF APPROVAL DATE NOTICE OF APPROVAL PAPER DESIGNATION OF APPROVAL, If ANY 1	15. DISTANCE FROM PROPOSED*	16. NO. OF ACRES IN LEASE				
15. PROPOSED EACH PROPOSED ELOCATION' TO MARKET WILL, SPILLING, SOURHETTER, 2640 ± 15. PROPOSED BETTH SERT ROTARY OR CABLE TOOLS ON APPROVAL DATE WORK WILL START' SERT ROTARY OR APPROVAL DATE May 19,2000 15. PROPOSED CASING AND CEMENTING PROGRAM REFER TO S.O.P. 22. APPROX BATE WORK WILL START' A.S.A.P 22. APPROX BATE WORK WILL START' A.S.A.P 23. PROPOSED CASING AND CEMENTING PROGRAM REFER TO S.O.P. 24. APPROVAL DATE 25. APPROVAL DATE 25. APPROVAL DATE 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19,2000 16. LEVATIONS (Show whother PF, RT, GR, etc.) 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 24. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT Field Manager 26. ROTARY OR CABLE TOOLS TO APPROVAL IF ANY 19. ASSISTANT FIEld Manager 26. ROTARY 19. ROTARY	PROPERTY OR LEASE LINE, FT.	1920		- ·		
In APPLIED FOR ON THIS LEASE, FT. IS ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START' A.S.A.P 23. APPROX. DATE WORK WILL START' A.S.A.P 24. APPROX. DATE WORK WILL START' A.S.A.P 25. APPROX. DATE WORK WILL START' A.S.A.P 26. APPROX. DATE WORK WILL START' A.S.A.P 27. APPROX. DATE WORK WILL START' A.S.A.P 28. APPROX. DATE WORK WILL START' A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 20. APPROX. DATE WORK WILL START' A.S.A.P 20. APPROX. DATE WORK WILL START' A.S.A.P 21. APPROX. DATE WORK WILL START' A.S.A.P 22. APPROX. DATE WORK WILL START' A.S.A.P 23. APPROX. DATE WORK WILL START' A.S.A.P 24. A.S.A.P 25. APPROX. DATE WORK WILL START' A.S.A.P 26. A.S.A.P 27. A.S.A.P 27. A.S.A.P 28. APPROX. DATE WORK WILL START' A.S.A.P 28. A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. A.S.A.P 29. A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. A.S.A.P 29. A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. A.S.A.P 29. A.S.A.P 29. A.S.A.P 29. A.S.A.P 29. APPROX. DATE WORK WILL START' A.S.A.P 29. A.S.A	18. DISTANCE FROM PROPOSED LOCATION*	19. PROPOSED DEPTH	20. ROTARY	OR CABLE TOOLS		
ALS.A.P 22. APPROX. DATE WORK WILL START' A.S.A.P 23. PROPOSED CASING AND CEMENTING PROGRAM REFER TO S.O.P. Shenandoah Energy Inc. proposes to drill a well to 5967' to test the Green River. If productive, rasing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements. Operations will be according to Standard Operating Procedures for the Red Wash Unit. FIGURE 10 C IVID John State of Utah requirements. Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. ALG 2 7 C IVID ALGO 2 7 C IVID JOHN GOOD APPROVAL DATE JOHN Busch TITLE Red Wash Operations Representative DATE May 19,2000 APPROVAL DATE NOTICE OF APPROVAL PRIMIT NO. APPROVAL DATE ALG 1 0 2000 ALGO 3 100 ALG		5967]	Rotary		
Sister Page 2 Casing AND CEMENTING PROGRAM REFER TO S.O.P. Shenandoals Energy Inc. proposes to drill a well to 5987 to test the Green River. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and kitete of Utah requirements. Operations will be according to Standard Operating Procedures for the Red Wash Unit. FIGURE OF Standard Operating Procedures for the Red Wash Unit. FIGURE OF STANDARD INC. agrees to be responsible under the terms and conditions of the lease for the operations included a Benergy Inc. agrees to be responsible under the terms and conditions of the lease for the operations included upon the lease lands. ALGO 2 7 2000 STANDARD INC. agrees to be responsible under the terms and conditions of the lease for the operations included upon the lease lands. ALGO 2 7 2000 STANDARD INC. agrees to be responsible under the terms and conditions of the lease for the operations included upon the lease lands. ALGO 2 7 2000 STANDARD INC. ALGO 2 7	21. ELEVATIONS (Show whether DF, RT, GR, etc.)					
Shenandoah Energy Inc., proposes to drill a well to 5967 to test the Green River. If productive, issuing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions will be according to Standard Operating Procedures for the Red Wash Unit. Departions of the lease for the above mentioned well. ALCORDARY STANDARY STAN	5482.8'			A.S	.A.P	
Shenandoah Energy Inc. proposes to drill a well to \$967 to test the Green River. If productive, easing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and kitate of Utah requirements. Operations will be according to Standard Operating Procedures for the Red Wash Unit. FIGURE 2000 100 100 100 100 100 100 100 100 10	3. PROPOSED CASING AND CEMENTING PROGRAM					
Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. AUG 3 7 2000 AU	State of Utah requirements.		d as per Bi		ICEIVED	
Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands. ALS 2.7 CONDUCTION CO	Bee Onshore Order No. 1 attached.				Thirties and an annual section in	
Bond coverage for this well is provided by Bond No. 0969. The principal is Shenandoah inergy Inc. via surety as consent as provided for in 43 CFR 3104.2. IN ABOVE SPACE DESCRISE PROPOSED PROGRAM: if proposed to to deepen, pive data on present productive zone and proposed new predestive zone. If proposed to to drill or OIL, GAS AND 1 A HUMBLE Lot Business John Busch TITLE Red Wash Operations Representative DATE May 19,2000 The spece for Protective State office used DEFENDIT NO. APPROVAL DATE NOTICE OF APPROVAL CONDITIONS OF APPROVAL, IF ANY Assistant Field Manager AUG. 1.0. 2000		=			LAS SOM	
ABOVE SPACE DESCRISE PROPOSED PROGRAM: if proposal to to deepen, pive date as present productive sees and proposed new productive sees. If proposal to to defit or OIL, GAS AND IN Separationally, give portlaced date on subscribes lessificas and researched and true vertical depths. Sive biometri proventor program if any. John Busch TITLE Red Wash Operations Representative DATE May 19,2000 The space for Pederal or State office used PERMIT NO. APPROVAL DATE NOTICE OF APPROVAL CONDITIONS OF APPROVAL, IF ANY: Assistant Field Manager ALIG 1.0. 2000	conducted upon the lease lands.		ivase for ti	ie operations	AUG 27 600	
NABOVE SPACE DESCRIBE PROPOSED PROGRAM: or proposed to to decepta, piro data on present productive sace and proposed new productive sace. If proposed to to drill or OIL, GAS AND IN separation describes leastings and seasoned and true vertical depths. Sive biorest preventor program if any. 4 HIMPIEL JOHN BUSCH TITLE Red Wash Operations Representative DATE May 19,2000 PERMIT NO. APPROVAL DATE NOTICE OF APPROVAL PRINCE OF APPROVAL CONDITIONS OF APPROVAL, IF ANY: ASSISTANT Field Manager ALIG 1.0. 2000	• •	•			The ASSESSMENT OF THE SERVICE OF THE	
John Busch TITLE Red Wash Operations Representative DATE May 19,2000 APPROVAL DATE APPROVAL DATE APPROVAL, IF ANY: ASSISTANT Field Manager ALIG 10 2000	•					
John Busch TITLE Red Wash Operations Representative DATE May 19,2000 APPROVAL DATE NOTICE OF APPROVAL CONDITIONS OF APPROVAL, IF ANY: Assistant Field Manager ALIG 10, 2000	N ABOVE SPACE DESCRISE PROPOSED PROGRAM: 11 proposed to to deepen, pt	vo data an procent productive none and propositioni depths. Give blowest provestor presime	od now producth: V any.	e zone. If proposal is to drill or	UIL, GAS AND III	
PERMIT NO. APPROVAL DATE NOTICE OF APPROVAL POPULATION OF APPROVAL, IF ANY: Assistant Field Manager ALIG 1 0 2000	24					
PERMIT NO. APPROVAL DATE NOTICE OF APPROVAL PRIMARILE OF APPROVAL POPULATION APPROVAL, IF ANY: Acting Assistant Field Manager ALIG 1 0 2000	John Busch	TITLE Red Wash Operation	ns Repres	entative DAT	May 19,2000	
polication approval does not warrant or certify that the applicant holds logal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. ONDITIONS OF APPROVAL, IF ANY: Assistant Field Manager ALIG 1.0 2000	This space for Poderal or State office use)	APPROVA	L DATE	NOTICE O	FAPPROVAL	
Acting Assistant Field Manager Alig 1 0 2000		_				
Assistant Field Manager All 6 1 0 2000	Application approval does not warrant or cortify that the applicant holds legal or on CONDITIONS OF APPROVAL, IF ANY:	Action			nduct operations thereon.	
PPROVED BY January Mineral Resources DATE 700 1 0 2000	1 1	Assistant Fie			1.0 2000	
	APPROVED BY	Mineral Re	enurce	S DATE	- V 2000	
	1010					

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or faudulent statements or representations as to any matter within its jurisdiction.



Form 3160-5 (June 1990)	D J	FORM APPROVED Budget Bureau No. 1004-0135	
•	BURE	Expires: March 31, 1993	
Do not use	SUNDRY NO	5. Lease Designation and Serial No. U-0561	
Do not use		o deepen or reentry to a different reservoir FION FOR PERMIT" for such proposals	6 ISLation Allows and Table
		110N FOR PERIVITI for such proposals	6. If Indian, Allottee or Tribe Name N/A
	SUBM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
I. Type of Well			RED WASH UNIT
Oil	Gas		8920007610
X Well	Well Other		8. Well Name and No.
2. Name of Ope	TATOL		Red Wash Unit 31-25A
· · · · - •	DOAH ENERGY, INC		9 API Well No.
3. Address and	Telephone No		43-047-33577
	7500 S. VERNAL, UT 84078-8526	(801) 78	
4. Location of V	Vell (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVER
1240) ENI	2150 FEL MINNE OF CHICAGO THE		11. County or Parish, State
1248' FN1	L, 2159' FEL, NW NE, SECTION 25, T7S,	R22E, SLBM	UINTAH, UTAH
12.	CHECK APPROPRIATE	POV(a) TO DIDICATE MATURE OF MOTION	DEPOSIT OF SECTION
		BOX(s) TO INDICATE NATURE OF NOTICE.	
	TYPE OF SUBMISSION	TYPE O	F ACTION
	Notice of Intent	Abandonment	Change of Plans
		Recompletion	New Construction
F	Subarrana Barra		
X	Subsequent Report	Plugging Back	Non-Routine Fracturing
		Casing Repair	Water Shut-Off
	Final Abandonment Notice	Altering Casing	
<u> </u>		Acting casing	Conversion to Injection
		X Other SPUD DATE	Dispose Water
	:		(Note) Report results of multiple completion on Well
			Completion or Recompletion Report and Log form.)
give substitute	e locations and measured and true vertical depths for all m	details, and give pertinent dates, including estimated date of starting any proper arkers and zones pertinent to this work) 2. 12 ¼" HOLE TO 458'. RAN 10 JOINTS 35# 9 5/8" CA	
			RECEIVED
			SEP 1 9 2000
			DIVISION OF
		•	OIL, GAS AND MINING
Signed D. C	that the foregoing is successful described. BEAMAN BEAMAN	Tide OFFICE MANAGER	Date 09/18/00
(This space for Feder	rai or State office use)		
Approved by:		Title	Date
Conditions of approv	al, if any		
Title 18 U.S.C. Secti	on 1001, makes it a crime for any person knowingly and w	rillfully to make to any department or agency of the United States any false, fi	citious or fraudulest statements
representations as to	any matter within its jurisdiction.	,	whose or manament statements of

ENTITY ACTION FORM - FORM 6

OPERATOR ACCT. No. ルサ235

OPERATOR: ADDRESS:

Shenandoah Energy, Inc.

11002 East 17500 South

Vernal, Utah 84078-8526

(801)781-4300

Action Code	Current Entity No.	New Entity No.	API Number	Well Name	QQ	sc	TP	RG	County	Spud Date	Effective Date
В	99999	05670	43-047-33577	Red Wash Unit 31-25A	NW NE	25	78	22E	Uintah	8/23/00	8-23-00
WELL 1	COMMENT	S:				•					
New w	ell drilled in	the Red Was	sh Unit. 9-20	-00	•					-	_
WELL 2	COMMENT	S:	1		<u> </u>	L	1			1	
,											
							T				
WELL 3	COMMENT	<u> </u> S:			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	
			<u> </u>								
						L					
WELL 4	COMMENT	S:									
	ı	1		T	T						
WELL 5	COMMENT	S:	1	1						1	·
ACTION	CODES (S	See instruction	s on back of form)								

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

RECEIVED

SEP 19 2000

DIVISION OF OIL, GAS AND MINING

Signature

Title

Office Manager. _09/18/00

Date

435

Phone No. (1921) 781-4306

Form 3160-5 (inke 1990)

UNITED STATES DE LIMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

Shenandoah Energy Inc. would like to have the attached wells be kept confidential.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

1. Турс	e of Well		
	Oil Gas		
	Well Well X Other		8. Well Name and No.
2. Nam	e of Operator		9. API Well No.
SH	ENANDOAH ENERGY INC.		9. API Well No.
	ress and Telephone No.	(004) 704 (400	10. Field and Book on Fundamentary Asso
110	002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4300	10. Field and Pool, or Exploratory Area
4. Loca	ation of Well (Footage, Sec., T., R., M., or Survey Description)		
			11. County or Parish, State
			UINTAH, UTAH
12.	CHECK APPROPRIATE I	BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA
	TYPE OF SUBMISSION	TYPE OF ACTION	
	X Notice of Intent	Abandonment	Change of Plans
		Recompletion	New Construction
	Subsequent Report	Plugging Back	Non-Routine Fracturing
		Casing Repair	Water Shut-Off
	Final Abandonment Notice	Altering Casing	Conversion to Injection
		X Other Confidential	Dispose Water
			Note) Report results of multiple completion on Well ompletion or Recompletion Report and Log form.)
13. Des	cribe Proposed or Completed Operations (Clearly state all pertinent subsurface locations and measured and true vertical depths for all	details, and give pertinent dates, including estimated date of starting any proposed work. If we markers and zones pertinent to this work)	ell is directionally drilled,



OCT 1 1 2000

DIVISION OF OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct. Signed JOHN BUSCH	Title	Operations Supervisor	Date	10/9/00
(This space for Federal or State office use)				
Approved by:	Title		Date	
Conditions of approval, if any				
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to representations as to any matter within its jurisdiction.	ake to any	department or agency of the United States any false, fice	itious or fraudulent statements or	

1/4 SEC. SECTION TOWNSHIP	RANGE API#	ŧ
	1/4 SEC. SECTION TOWNSHIP	1/4 SEC. SECTION TOWNSHIP RANGE API#

							_
Red Wash	2220B**	SE NW	20	78	23E	43-047-33491	
Red Wash	4220B*	SE NE	20	78	23E	43-047-33490	
Red Wash	1320B*	NW SW	20	78	23E	43-047-33498]
Red Wash	3320B++	NW SE	20	78	23E	43-047-33500	
Red Wash	2221B	SE NW	21	78	23E	43-047-33522]
Red Wash	2419B	SE SW	19	78	23E	43-047-33492	1
Red Wash	4419B	SE SE	19	78	23E	43-047-33524	1
Wonsits Valley	6W-16-8-21	SE NW	16	88	21E	43-047-33527]
Gypsum Hills	10W-19-8-21	NW SE	19	88	21E	43-047-33528	
Wonsits Valley	16W-9-8-21	SE SE	9	88	21E	43-047-33529	
Wonsits Valley	6G-16-8-21	SE NW	16	88	21E	43-047-33564	
Gypsum Hills	10G-19-8-21	NW SE	19	88	21E	43-047-33566]
Wonsits Valley	16G-9-8-21	SE SE	9	88	21E	43-047-33565]
Red Wash	2420B	SE SW	20	78	23E	43-047-33523	
Red Wash	1319B	NW SW	19	78	23E	43-047-33497]
Red Wash	3319B	NW SE	19	78	23E	43-047-33499	
Red Wash	4420B	SE SE	20	78	23E	43-047-33525]
Red Wash	4219B	SE NE	19	78	23E	43-047-33556]
Red Wash	2219B	SE NW	19	78	23E	43-047-33559	}
Red Wash	4224A	NE SE	24	78	22E	43-047-33569]
Red Wash	3424A	SW SE	24	78	22E	43-047 -33567	33568
Red Wash	2324A	NE SW	24	78	22E	43-047 -33568	33567
Red Wash	2125A	NE NW	25	7\$	22E	43-047-33576] '
Red Wash	4125A	NE NE	25	78	22E	43-047-33579	
Red Wash	1119B	NW NW	19	78	23E	43-047-33552	
Red Wash	3119B	NW NE	19	78	23E	43-047-33555	
Red Wash	1120B	NW NW	20	78	23E	43-047-33553	
Red Wash	2418B	SE SW	18	78	23E	43-047-33554	
Red Wash	3413A	SW SE	13	78	22E	43-047-33593	
Red Wash	2124A	NE NW	24	78	22E	43-047-33592	
Red Wash	1224A	SW NW	24	78	22E	43-047-33591	
Red Wash	1125A	NW NW	25	78	22E	43-047-33574]
Red Wash	1325A	NW SW	25	78	22E	43-047-33575]
Red Wash	3125A	NW NE	25	78	22E	43-047-33577	
Red Wash	3325A	NW SE	25	78	22E	43-047-33578	
Red Wash	4225A	SE NE	25	78	22E	43-047-33580	
Red Wash	4418B	SE SE	18	78	23E	43-047-33594] ,
Red Wash	1129B	NW NW	29	78	23E	43-047-33590	
Wonsits Valley	9G-2-8-21	NE SE	2	8S	21E	43-047-33647	
Wonsits Valley	9W-2-8-21	NE SE	2	8S	21E	43-047-33648	
Wonsits Valley	16G-2-8-21	SE SE	2	88	21E	43-047-33646	_
Wonsits Valley	16W-2-8-21	SE SE	2	8S	21E	43-047-33645	
Wonsits Valley	15W-9-8-21	SW SE	9	8S	21E	43-047-33661	
Wonsits Valley	15G-9-8-21	SW SE	9	8 S	21E	43-047-33662]
Wonsits Valley	2W-10-8-21	NW NE	10	8S	21E	43-047-33655]
Wonsits Valley	2G-10-8-21	NW NE	10	8 S	21E	43-047-39650 43-047-39650	
Wonsits Valley	12W-10-8-21	NW SW	10	8 S	21E	43- 047 -39659	-

OCT 1 1 2000

<u> </u>	1,00,400,04	T that our	1 40	1 00	1 44-	1 40 0 47 0 0000
Wonsits Valley	12G-10-8-21	NW SW	10	88	21E	43-047-33660
Wonsits Valley	4W-11-8-21	NW NW	11	88	21E	43-047-33657
Wonsits Valley	4G-11-8-21	NW NW	11	88	21E	43-047-33658
Wonsits Valley	2W-16-8-21	NW NE	16	88	21E	43-047-33246
Wonsits Valley	2G-16-8-21	NW NE	16	88	21E	43-047-33247
Womsits Valley	12W-16-8-21	NW SW	16	88	21E	43-047-33649
Wonsit Valley	12G-16-8-21	NW SW	16	88	21E	43-047-33650
Red Wash	33U-19B	NW SE	19	78	23E	43-047-33654
Red Wash	14-27A	swsw	27	78	22E	43-047-33150
Wonsits Valley	WV 1W-18-8-22	NE NE	18	88	22E	43-047-33294
Wonsits Valley	WV 11W-8-8-22	NE SW	8	88	22E	43-047-33295
Wonsits Valley	WV 5W-13-8-21	SW NW	13	85	21E	43-047-33221
Wonsits Valley	WV 9W-13-8-21	NE SE	13	88	22E	43-047-33223
Wonsits Valley	WV 7W-13-8-21	SW NE	13	88	22E	43-047-33270
Wonsits Valley	WV 3W-8-8-22	NE NW	8	88	22E	43-047-33493
Wonsits Valley	WV 5W-7-8-22	SW NW	7	88	22E	43-047-33494
Wonsits Valley	WV 1W-14-8-21	NE NE	14	88	21E	43-047-33220
Wonsits Valley	WV 11W-7-8-22	NE SW	7	88	22E	43-047-33495
Wonsits Valley	WV 13W-7-8-22	SW SW	7	88	22E	43-047-33496
Wonsits Valley	WV 7W-7-8-22	SW NE	7	88	22E	43-047-33503
Wonsits Valley	WV 9W-12-8-21	NE SE	12	88	21E	43-047-33534
Wonsits Valley	WV 3W-7-8-22	NE NW	7	88	22E	43-047-33502
Wonsits Valley	WV 1W-13-8-21	NE NE	13	88	21E	43-047-33532
Wonsits Valley	WV 11W-12-8-21	NE SW	12	88	21E	43-047-33535
Wonsits Valley	WV 1W-7-8-22	NE NE	7	88	22E	43-047-33501
Wonsits Valley	WV 1W-12-8-21	NE NE	12	88	21E	43-047-33531
Wonsits Valley	Fed 9W-8-8-22	NE SE	8	88	22E	43-047-33515
Wonsits Valley	WV 13W-12-8-21	SW SW	12	88	21E	43-047-33537
Wonsits Valley	WV 3W-18-8-22	NE NW	18	88	22E	43-047-33533
Wonsits Valley	WV 11W-13-8-21	NE SW	13	88	21E	43-047-33536
Wonsits Valley	Fed 15W-8-8-22	SW SE	8	88	22E	43-047-33517
Gypsum Hills	GH 1W-32-8-21	NE NE	32	88	21E	43-047-33570
Gypsum Hills	GH 7W-32-8-21	SW NE	32	88	21E	43-047-33573
Wonsits Valley	WV 3W-24-8-21	NE NW	24	88	21E	43-047-33605
Gypsum Hills	GH 5W-32-8-21	SW NW	32	88	21E	43-047-33572
Gypsum Hills	GH 3W-32-8-21	NE NW	32	88	21E	43-047-33571
Wonsits Valley	WV 13W-18-8-22	SW SW	18	88	22E	43-047-33538
Wonsits Valley	WV 15W-13-8-21	SW SE	13	88	21E	43-047-33608
Wonsits Valley	WV 3W-13-8-21	NE NW	13	88	21E	43-047-33603
Wonsits Valley	WV 13W-13-8-21	SW SW	13	88	21E	43-047-33606
Wonsits Valley	WV 1W-21-8-21	NE NE	21	88	21E	43-047-33602
Wonsits Valley	WV 9W-14-8-21	NE SE	14	88	21E	43-047-33269
Glen Bench	GB 5W-17-8-22	SW NW	17	88	22E	43-047-33514
Wonsits Valley	WV 1W-24-8-21	NE NE	24	88	21E	43-047-33613
Wonsits Valley	WV 3W-22-8-21	NE NW	22	88	21E	43-047-33604
Glen Bench	GB 9W-18-8-22	NE SE	18	88	22E	43-047-33516
Wonsits Valley	WV 13W-14-8-21	SW SW	14	88	21E	43-047-33607
Glen Bench	GB 3W-17-8-22	NE NW	17	88	22E	48-047-33513
Wonsits Valley	WV 11W-18-8-22	NE SW	18	88	22E	43-047-33626

OCT 1 1 2000

Glen Bench	GB 3W-22-8-22	NE NW	22	88	22E	43-047-33652
Glen Bench	GB 12W-30-8-22	NW SW	30	88	22E	43-047-33670
White River	WR 13W-3-8-22	SW SW	3	88	22E	43-047-33651

RECEIVED

OCT 1 1 2000

DIVISION OF OIL, GAS AND MINING

Type of Weil

UNITED STATES ARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

U-0561

SUBMIT IN TRIPLICATE

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals

N/A If Unit or CA, Agreement Designation

RED WASH UNIT

6. If Indian, Allottee or Tribe Name

	X Well Well Other	CONFIDENTIAL	8920007610 8. Well Name and No.
2.	Name of Operator SHENANDOAH ENERGY, INC		Red Wash Unit 31-25A 9. API Weil No.
3.	Address and Telephone No		43-047-33577
	11002 E. 17500 S. VERNAL, UT 84078-8526	(801) 781-4300	10. Field and Pool, or Exploratory Area
4.	Location of Weil (Footage, Sec., T., R., M., or Survey Description)		RED WASH - GREEN RIVER
	1248' FNL, 2159' FEL, NW NE, SECTION 25, T7S,	11. County or Parish, State UINTAH, UTAH	
12.	CHECK APPROPRIATE	BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA
	TYPE OF SUBMISSION	TYPE OF ACTION	
	Notice of Intent	Abandonment	Change of Plans
		Recompletion	New Construction
	X Subsequent Report	Plugging Back	Non-Routine Fracturing
		Casing Repair	Water Shut-Off
	Final Abandonment Notice	Altering Casing	Conversion to Injection
		X Other FIRST PRODUCTION	Dispose Water
			Note) Report results of multiple completion on Well completion or Recompletion Report and Log form.)
17	Describe Proposed or Completed Operations (Clearly state all particular		17. 25. 27. 31. 4.96. 4

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

THIS WELL COMMENCED PRODUCTION OCTOBER 24, 2000.

14. I hereby certify that the foregoing is true and correct. Signed D. C. BEAMAN (Beam C Beams)	Title	OFFICE MANAGER	Date	11/02/00
(This space for Federal or State office use) Approved by:	Title	•	Date	
Conditions of approval, if any	ine		Date	
Title 18 U.S.C. Section 1001, makes at 1 mine for any person knowingly and wide as a representations as to any matter within its jurisdiction.	BANK PANEMENTAL PANEMENT OF THE PANEMENT OF T	so cratent or agency of the Orned States any false, ficting	23 or fraudulent statements of	

CONFIDENTIAL CONFIDENTIAL

Form 3166 (August 19	999)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT WELL COMPLETION OR RECOMPLETION REPORT AND LOG								O	ORM APPROMB No. 1004 es November	4-0137	
	WEL	L CC	JWIFI	LETION	OK KECUN	MPLETION	KE.	PURI AND	LU	G	U-0561	iai No.	
	of Well: 🚺				_	Other Deepen		Plug Back	-	Diff, Resvr.	6. If Indian,	Allottee or	Tribe Name
U. Type	of Completion	•	ther _	Well	Workover	Беерен		I lug Dack	- ل	JIII. KÇSVI.	7. Unit or C 89200076		nt Name and No.
	of Operator	RGY IN	۷C			NTACT: J.T. (LEY nandoahenergy	y.co	om ~	8. Lease Na RWU 31-2		l No.
	s 11002 EAS					l		e No. (include are	~~4	•	9. API Wel		
4. Locatio	VERNAL, Upon of Well (Rep	ort loc	ation c	learly and in a	ccordance with	Federal require	435.	781.4300 EXT:	3U1 A :		430473357		
At Surfa	nce NWNE	1248F	FNL 21	159FEL		. (AL.		* 10. Field and		ploratory
				NIMANE 12	40ENI 24EGE	· ·		PERIOD EXPIRED			RED WAS		ak and
At top	prod. interval r	eported	d below	NVVNE 124	48FNL 2159F			11/24/01					25 T7S R22E SLB
At total	l depth	NNE 1	1248FN	NL 2159FEL		1. ************************************	'	13497 f 6 d 1 m	84 -1.57 3	₩	12. County of UINTAH	r Parish	13. State UT
14. Date S	pudded			15. Date T.D.	Reached		16. D	ate Completed 10)/24/	/00	17. Elevatio	ns (DF, RKI	3, RT, GL)*
8/23/00				9/12/00				D&A 🔲	Rea	dy to Prod.	5483 GL		
18. Total I			7	19	. Plug Back T.I	D.: MD 595 TVD	0			20. Deptl	n Bridge Plug S		
21. Type E	TVD lectric & Othe RAL DENSIT		anical TRON	Loes Run (Su I, HIRES IND	bmit copy of e	-			2:	Was D	rell cored? X	No 🗖 Yes	s (Submit analysis) s (Submit report)
-				_	,	W-9//				Directi	onal Survey?	⊠ № □	Yes (Submit copy)
23. Casing	and Liner Red	ord (R	eport a	ll strings set ir	ı well)	10: 0		No of Classes					
Hole Size	Size/Grade	Wt.(#	/ft.)	Top (MD)	Bottom (MD	Stage Cemer Depth	nter	No. of Sks. & Type of Cemen		Slurry Vol. (BBL)	Cement Top	*	Amount Pulled
12.25	9.625 J-55	36		0	451			195	1		0		
7.875	5.5 J-55	15.5		0	5967			820	4		1760		
						 			+		-	+	···
												-	
24. Tubing													
Size	Depth Set(MD)	Packe	r Depth(MD)	Size	Depth Set(M	D)	Packer Depth(I	MD)	Size	Depth	Set(MD)	Packer Depth(MD)
25 Produc	5908 sing Intervals		<u> </u>	· · · · · · · · · · · · · · · · · · ·		26. Perforation	n Rec	ord					
	ormation		Т	Гор	Bottom	Perforated Int			I	Size	No. Holes		Perf. Status
A) GREE	N RIVER	~~~		642	5874	5642 To 587	4					OPEN	
B)													
C)													
D)												D	ECEIVE
	racture, Treat	nent, C	Cement	Squeeze, Etc.					4 1				LOCIVE
	epth Interval		+-	CEMENT SO	JEEZE WITH		moun	t and Type of Mai	teria	l 			
5098 To 5			_			LBS IN 10,400	0 GA	LS					DEC 1 1 2000
5788 To 5				NONE							· · · · · · · · · · · · · · · · · · ·		
5872 To 5	874		N	NONE(2)									DIVISION OF
30 D 4		_										OIL,	GAS AND MIN
Date First	tion - Interval		Iours	Test	TOil	Gas		Water	Oil	Gravity	Gas	Production	Method
Produced	Date		ested	Producti		MCF		BBL	Cor	rt. API	Gravity	040 0111	IDINO LINIT
10/24/00 Choke	11/7/00 Tbg. Pres		gg.	24 Hr.	Oil	Gas		79 Water	Gas	s:Oil	Well Status	GAS PUM	IPING UNIT
Size	Flwg. 25	5 P	ress. 25	Rate	BBL	MCF		BBL	Rat		PRODUCING	Oll WELL	
28a. Produ	ction - Interval			1 - 7		ı		<u> </u>			. NODOCING	JIL TTELL	
Date First Produced	Test Date	Н	ours ested	Test Producti	on Oil BBL	Gas MCF		Water BBL		Gravity r. API	Gas Gravity	Production	Method
Choke Size	Tbg. Pres Flwg.		ess.	24 Hr. Rate	Oil BBL	Gas MCF		Water BBL	Gas Rati	::Oil io	Well Status		

(See instructions and spaces for additional data on reverse side)
ELECTRONIC SUBMISSION #2095 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE

- CONFIDENTIAL

	tion - Interv	al C									
Date First	Test	Ho	urs	Test	Oil	Gas	Water	Oil Gravity	Gas	Production Me	ethod
Produced	Date	Te	sted	Production	1	MCF	BBL	Corr. API	Gravity		
Choke	Tbg. Pre			24 Hr.	Oil	Gas	Water	Gas:Oil	Well Status		
Size	Flwg. SI	Pre	ess.	Rate	BBL	MCF	BBL	Ratio			
28c. Product	tion - Interva										
Date First Produced	Test Date	Ho	urs sted	Test Production	on BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Me	thod
				→					•		
Choke Size	Tbg. Pre Flwg.		g. ess.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status		
Size	SI SI	1,,,	,33,	Rate	BBL	Mich	BBE	Kano			
29. Dispositi		Sold, used	for fuel,	vented, etc	.)	•					
JSED ON L 30. Summary		Zones (In	clude Aqu	iifers):					31. Formation	on (Log) Markers	
Show all	important z	ones of p	orosity and	d contents		intervals and all d					
tests, incl and recov		interval	ested, cus	shion used	, time tool oper	n, flowing and shu	it-in pressures				
and recov	veries.								 		Тор
Formati	on	Тор	Bot	ttom	I	Description, Conte	ents, etc.		1	Name	Meas. Dept
GREEN RIV	ÆR	5642	564	16	GW4				GREEN RI	VER	3047
REEN RIV	/ER(2)	5668 5682	567 568	70	GX3 GY2				MAHOGAN	ΙΥ	3999
GREEN RIV	/ER(4)	5788	579	2	LY2				1		
GREEN RIV	/ER(5)	5872	587	74	MESA						
									1		
											}
											1
								*****	·		
32. Addition	nal remarks (include r	lugging p	rocedure):							
CONFIDEN	ITIAL - TIT	E HOLE		•	IOUT DEDI	001011 55011	NIENIANDOAL	ENERGY INC			
CONFIDEN	ITIAL - TIT	E HOLE		•	HOUT PERMI	SSION FROM S	SHENANDOAH	ENERGY INC.			
CONFIDEN	ITIAL - TIT	E HOLE		•	HOUT PERMI	SSION FROM S	SHENANDOAH	ENERGY INC.			
CONFIDEN	ITIAL - TIT	E HOLE		•	HOUT PERMI	SSION FROM S	SHENANDOAH	ENERGY INC.			
CONFIDEN	ITIAL - TIT	E HOLE		•	HOUT PERMI	SSION FROM S	SHENANDOAH	ENERGY INC.			
CONFIDEN	ITIAL - TIT	E HOLE		•	HOUT PERMI	SSION FROM S	SHENANDOAH	ENERGY INC.			
CONFIDEN DO NOT R	ITIAL - TIT	E HOLE		•	HOUT PERMI	SSION FROM S	SHENANDOAH	ENERGY INC.			
CONFIDEN DO NOT RI	ITIAL - TIT ELEASE W	E HOLE /ELL INI	FORMAT	ION WITI		,			4. Directional	Survey	
33. Circle e	ITIAL - TIT ELEASE W	E HOLE ELL INI	FORMAT	rion Witti	2. Ge	SSION FROM S	3. DST Rep 7. Other:		4. Directional	Survey	
33. Circle e	ITIAL - TIT ELEASE W nclosed attac	E HOLE ELL INI	FORMAT	rion Witti	2. Ge	ologic Report	3. DST Rep		4. Directional	Survey	
33. Circle e 1. Elec 5. Sunc	nclosed attactrical/Mecha	E HOLE /ELL INI chments: unical Log or pluggir	FORMAT	eet req'd.)	2. Ge tation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other:	ort			:
33. Circle e 1. Elec 5. Sunc	nclosed attactrical/Mecha	E HOLE /ELL INI chments: unical Log or pluggir	FORMAT	eet req'd.)	2. Ge tation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other:				ı:
33. Circle e 1. Elect 5. Sund	nclosed attactrical/Mechairy Notice for	chments:	es (I full s	et req'd.) nent verific	2. Ge ation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other: ct as determined	ort from all available r	ecords (see atta	sched instructions)	:
33. Circle e 1. Elect 5. Sund	nclosed attactrical/Mecha	chments:	es (I full s	et req'd.) nent verific	2. Ge ation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other: ct as determined	ort	ecords (see atta	sched instructions)	<u>;</u>
33. Circle e 1. Elect 5. Sund 34. I hereby	nclosed attactrical/Mechairy Notice for	chments:	es (I full s	et req'd.) nent verific	2. Ge tation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other: ct as determined	ort from all available r	ecords (see atta	sched instructions)	·
33. Circle e 1. Elect 5. Sund	nclosed attactrical/Mechairy Notice for	chments:	es (I full s	et req'd.) nent verific	2. Ge ation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other: ct as determined	ort from all available r	ecords (see atta	sched instructions)):
33. Circle e 1. Elect 5. Sund 34. I hereby	nclosed attactrical/Mechadry Notice for	chments:	es (I full s	et req'd.) nent verific	2. Ge ation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other: t as determined	ort from all available r	ecords (see atta	sched instructions)):
33. Circle e 1. Elect 5. Sund	nclosed attactrical/Mechadry Notice for	chments:	es (I full s	et req'd.) nent verific	2. Ge ation 6. Co	ologic Report ore Analysis	3. DST Rep 7. Other: ct as determined	ort from all available r	ecords (see atta	sched instructions)):

ELECTRONIC SUBMISSION #2095 VERIFIED BY THE BLM WELL INFORMATION SYSTEM FOR SHENANDOAH ENERGY INC SENT TO THE VERNAL FIELD OFFICE RECEIVED

DEC 1 1 2000

DIVISION OF OIL, GAS AND MINING

Form 3160-5 (August 1999)

DEPART BUREA

ITED STATES		FORM
TMENT OF THE INTERIOR	* magnet	OMB N Expires: N
U OF LAND MANAGEMENT		5. Lease Serial No.
CES AND REPORTS ON WELLS		U-0561

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 200

SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill or to re-enter an	ł
abandoned well. Use form 3160-3 (APD) for such proposals	S.

6.	If Indian, Allottee or Tribe Name

abandoned wel	N/A							
SUBMIT IN TRII	7. If Unit or CA/Agreement, Name and/or No. RED WASH UNIT							
1. Type of Well		8. Well Name and No. RWU 31-25A						
2. Name of Operator SHENANDOAH ENERGY	nergy.com	9. API Well No. 43-047-33577						
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	8b. Phone No. (include area code) Ph: 435.781.4342 Fx: 435.828.5044		10. Field and Pool, or Exploratory RED WASH					
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)			11. County or Parish, and State				
Sec 25 T7S R22E NWNE 124		UINTAH COUNTY, UT						
12. CHECK APPE	ROPRIATE BOX(ES) TO I	NDICATE NATURE OF N	NOTICE, RE	PORT, OR OTHE	R DATA			
TYPE OF SUBMISSION		TYPE OF	FACTION		<u></u>			
⊠ Notice of Intent	☐ Acidize	□ Deepen	☐ Producti	on (Start/Resume)	□ Water Shut-Off			
_	☐ Alter Casing	☐ Fracture Treat	□ Reclama	tion	☐ Well Integrity			
☐ Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomp	lete	Other			
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	☐ Tempora	arily Abandon				
	■ Convert to Injection	☐ Plug Back	☐ Water D	isposal				
testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Proposal for conversation to Injection Well (See Attachment). Accepted by the Oil, Gas and Minning Utah Division of Coll. Gas and Minning Oil, Gas and Minning Oil								
14. I hereby certify that the foregoing is true and correct. Electronic Submission #10767 verified by the BLM Well Information System For SHENANDOAH ENERGY, sent to the Vernal								
Name (Printed/Typed) JIM SIMO	Title COMPL	Title COMPLETION MANAGER						
Signature (Electronic S	Submission)	Date 03/14/2	002					
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved By		Title		Date				
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to condition	ot warrant or							
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a cr statements or representations as to	ime for any person knowingly and any matter within its jurisdiction.	willfully to ma	ike to any department or	agency of the United			

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **

RWU #31-25A
Red Wash Field
NWNE S25-T7S-R22E
Uintah County, Utah
API # 43-047-33552 EPA Permit #:UT2899-04608
AFE#


Narrative:

This well was drilled and completed in August 2000 and completed in Sept.2000 with an IP of 43 BOPD and 79 BWD and 20 MCFD via rod pump. The wellbore consists of perfs.in the Gw4; Gx3; Gy2; Ly2 and Mesa zones. The proposal to convert this well into an injection well will be performed by squeezing off the Gw4; Gx3 and Gy2 zones and injecting into the Lv5; Ly2 and Mesa zones and running a packer and tbg.and initiate injection into the above open zones. A bottom hole pressure (BHP) survey will be conducted prior to injection along with an MIT test.

TD @ 5967' Casing Shoe @ 5967' FC @ 5953'

Conversion Procedure

- 1. MIRU completion rig. POOH with rods and pump and lay down. NU BOP's. POOH with 2-7/8" tbg. string and RIH with 4-3/4" bit and 5-1/2" csg.scraper and tbg. to PBTD of ~5953'. Circulate the hole with hot 2% KCL water and POOH with bit and scraper.
- 2. RIH with ret.BP and ret.pkr.and set the RBP at 5720' and spot cement across gross interval 5642' to 5684' and squeeze interval (3 sets of perfs.). Test to 1100# after drilling out cement.
- 3. Perforate per the Density log at 4 JPF with a 4" gun interval 5730-33' (Lv5) and breakdown with prk.and plug.
- 4. RIH with injection tubulars as follows: Arrowset ret.pkr.; 1 jt; SN; rest of 2-7/8" tbg.to surface.
- 5. Set pkr.at ~5700' after circulating packer fluid.
- 6. Perform MIT test of casing to >1000# and run a BHP survey with bombs hanging at \sim 5750'.
- 7. Turn well over to production department to start well injection.



INJECTION WELI		RWU			
WELL:	<u>31-25A</u>	<u>Date:</u>	10/03/01		
OPEN PERFS	ZONE		ACTION		COMMENTS
CURRENT		INJECTION			
	FC	ZONES			
	Eu6			sqzd 5098-5100	
	Eu6			sqzd 5113-5115'	
	Ev5			sqzd 5135-5139'	
	Gt7	1		1	
	Gu6				
	Gu6b				
	Gv5				
5642-5646	Gw4		sqz		
5668-5670	Gx3		SQZ		
5682-5684	Gy2		SQZ		
	-,-		<u> </u>		
	Lt7				
	Lu6				
	Lv5	5730-5733	PERF		
	Lv5b				
	Lw4				
	Lx3				
5788-5792	Ly2	5788-5792			·
5872-5874	Mesa	5872-5874			
	Mesa				

- ACTION

 1. Squeeze Gw4, Gx3, & Gy2; 5642-5646, 5668-5670, & 5682-5684'.

 2. Perforate Lv5, 5730-5733', and breakdown.

 3. Equip well, hook-up, MIT, and commence injection.



star Exploration and Production Company

uscependence Plaza 1050 17th Street, Suite 500 Denver, CO 80265 Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named QEP Uinta Basin, Inc. pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Thelen

Yours truly,

Frank Nielsen Division Landman

Enclosure

JUN 0 2 2003

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO

June 9, 2003

QEP Uinta Basin, Inc. 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Red Wash Unit Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed it name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)

SIILA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Red Wash Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 0 7 2003

3104 (932.34)WF Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc. 1050 17th Street Suite 500 Denver, Colorado 80265 Oil and Gas lease

:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Wilbert B. Forbes

Land Law Examiner

Branch of Use Authorization

S/ wilbert & Forbes

Division of Resources Planning,

Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin MFO

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

CURRENT OPERATOR Company: Shenandoah Fnergy Inc. Address: 11002 East 17500 South Scity Vernal stateUT zip 84078	API Number Field or Unit Name Lease Designation and Num UTAH Lease Designation and Num Lease Desi
Location of Well Footage: County QQ, Section, Township, Range: State: EFFECTIVE DATE OF TRANSFER: CURRENT OPERATOR Company: Shenandoah Energy Inc. N Address: 11002 East 17500 South S city Vernal stateUT zip 84078 T Phone: (435) 781-4300 D	Lease Designation and Num UTAH Lease Designation and Num Lease Designati
Footage: County QQ, Section, Township, Range: State: EFFECTIVE DATE OF TRANSFER: CURRENT OPERATOR Company: Shenandoah Energy Inc. N Address: 11002 East 17500 South S city Vernal stateJT zip 84078 T Phone: (435) 781-4300	Lease Designation and Num UTAH Lease Designation and Num Lease Designati
QQ, Section, Township, Range: EFFECTIVE DATE OF TRANSFER: CURRENT OPERATOR Company: Shenandoah Energy Inc. Address: 11002 East 17500 South Sity Vernal stateUT zip 84078 Phone: (435) 781-4300	lame:loh.w Busch ignature:loh.w Busch itle:District Foreman
CURRENT OPERATOR Company: Shenandoah Energy Inc. Address: 11002 East 17500 South city Vernal stateUT zip 84078 Phone: (435) 781-4300	lame: <u>John Busch</u> ignature: <u>John Brush</u> itle: <u>District Foreman</u>
CURRENT OPERATOR Company: Shenandoah Fnergy Inc. Address: 11002 East 17500 South city Vernal stateUT zip 84078 Phone: (435) 781-4300	ignature:low Bench itle:District Foreman
Company: Shenandoah Fnergy Inc. N Address: 11002 East 17500 South S city Vernal stateUT zip 84078 T Phone: (435) 781-4300 D	ignature:low Bench itle:District Foreman
Address: 11002 East 17500 South S city Vernal state T zip 84078 T Phone: (435) 781-4300	ignature:low Bench itle:District Foreman
Address: 11002 East 17500 South S city Vernal stateUT zip 84078 T Phone: (435) 781-4300 D	ignature:low Bench itle:District Foreman
<u>city Vernal</u> <u>stateUT zip 84078</u> T Phone: <u>(435) 781-4300</u> D	itle: District Foreman
Phone: <u>(435)</u> 781-4300	
	ate: <u>9-02-03</u>
Comments:	
	a
·	
NEW OPERATOR	-
Company: QEP Uinta Basin, Inc. N	ame: John Busch
Address: 11002 East 17500 South	ignature:lot Busch
	itle: District Foreman
Phone: D	ate: <u>9-02-03</u>
Comments:	

(This space for State use only)

Transfer approved by:

Approval Date: 9-10-03

RECEIVED

SEP 0 4 2003

DIV. OF OIL, GAS & MINING

Comments: CAUSTH105-0

Located in Induser Country, EPA

well_name	Sec	Т	R	api	Entity	Lease Type	type	stat	Field	Footages
RED WASH UNIT 261	17	070S	230E	4304732739	-	Federal	WI	Α	Red Wash	1785 FSL, 1843 FWL
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	Α	Red Wash	1787 FSL, 534 FEL
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	Α	Red Wash	1360 FNL, 660 FEL
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	Α	Red Wash	660 FSL, 2030 FEL
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	Α	Red Wash	618 FNL, 477 FWL
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	Α	Red Wash	761 FNL, 677 FWL
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	Α	Red Wash	1206 FNL, 491 FWL
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	Α	Red Wash	786 FNL, 819 FWL
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	Α	Red Wash	590 FNL, 787 FWL
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	Α	Red Wash	1528 FNL, 930 FWL
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	Α	Red Wash	1802 FSL, 374 FWL
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	Α	Red Wash	2143' FSL, 704' FWL
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	Α	Red Wash	1446 FSL, 664 FWL
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	Α	Red Wash	660 FSL, 660 FWL
RWU 148 (13-22B)	22			4304715261	5670	Federal	WI	Α	Red Wash	2073 FSL, 660 FWL
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	1	Red Wash	595 FNL, 1935 FEL
RWU 156 (23-15B)	15			4304715267	5670	Federal	WI	Α	Red Wash	2115 FSL, 1982 FWL
RWU 16 (43-28B)	28			4304716475	5670	Federal	WI	1	Red Wash	1980 FSL, 660 FEL
RWU 161 (14-20B)	20			4304715271	5670	Federal	WI	1	Red Wash	660 FSL, 678 FWL
RWU 17 (41-20B)	20			4304715146	5670	Federal	WI	Α	Red Wash	660 FNL, 660 FEL
RWU 170 (41-15B)	15			4304716495	5670	Federal	WI	1	Red Wash	660 FNL, 660 FEL
RWU 173 (21-21B)	21			4304716496	5670	Federal	WI	Α	Red Wash	660 FNL, 1980 FWL
RWU 174 (21-20B)	20			4304715281	5670	Federal	WI	Α	Red Wash	660 FNL, 1980 FWL
RWU 182 (14-21B)	21			4304716497	5670	Federal	Wi	Α	Red Wash	629 FSL, 652 FWL
RWU 183 (33-13B)	13			4304715289	5670	Federal	WI	Α	Red Wash	1833 FSL, 2027 FEL
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	Α	Red Wash	747 FNL, 660 FEL
RWU 199 (43-22A)	22			4304715301	5670	Federal	WI	Α	Red Wash	1980 FSL, 658 FEL
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	Α	Red Wash	735 FSL, 790 FWL
RWU 202 (21-34A)	34 .			4304715303	5670	Federal	Wi	1	Red Wash	660 FNL, 1980 FWL
RWU 213 (41-33B)	33			4304720060	5670	Federal	WD	Α	Red Wash	660 FNL, 580 FEL
RWU 215 (43-28A)	28			4304730058	5670	Federal	WI	Α	Red Wash	1980' FSL, 661 FEL
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	Α	Red Wash	660 FNL, 1976 FWL
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	Α	Red Wash	695 FNL, 2015 FWL
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	1	Red Wash	1956 FSL, 1699 FWL
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	Α	Red Wash	1980 FSL, 1980 FWL
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	Α	Red Wash	885 FSL, 2025 FEL

•

RWU 263 (24-26B)	26	070S	230E	4304730518	5670 Federal	WI	1	Red Wash	591 FSL, 2007 FWL
RWU 264 (31-35B)	35	070S	230E	4304730519	5670 Federal	WI	Α	Red Wash	687 FNL, 2025 FEL
RWU 266 (33-26B)	26	070S	230E	4304730521	5670 Federal	WI	1	Red Wash	1980 FSL, 1980 FEL
RWU 268 (43-17B)	17	0708	230E	4304732980	5670 Federal	WI	Α	Red Wash	1924 FSL, 981 FEL
RWU 269 (13-26B)	26	070S	230E	4304730522	5670 Federal	WI	1	Red Wash	2170' FSL, 670' FWL
RWU 271 (42-35B)	35	070S	230E	4304731081	5670 Federal	WI	ı	Red Wash	1979 FNL, 660 FEL
RWU 274 (13-25B)	25	0708	230E	4304731083	5670 Federal	WI		Red Wash	2129 FSL, 659 FWL
RWU 275 (31-26B)	26	070S	230E	4304731077	5670 Federal	WI	Α	Red Wash	675 FNL, 1869 FEL
RWU 279 (11-36B)	36	070S	230E	4304731052	5670 Federal	WI	Α	Red Wash	659 FNL, 660 FWL
RWU 283 (43-18B)	18	070S	230E	4304732982	5670 Federal	WI	Α	Red Wash	1899 FSL, 708 FEL
RWU 31-19B	19	070S	230E	4304733555	5670 Federal	Wi	Α	Red Wash	601 FNL, 1770 FEL
RWU 31-25A	25	070S	220E	4304733577	5670 Federal	WI	Α	Red Wash	1248 FNL, 2159 FEL
RWU 31-30B	30			4304733788	5670 Federal	WI	Α	Red Wash	950 FNL, 1943 FEL
RWU 33-19B	19	070S	230E	4304733499	5670 Federal	WI	Α	Red Wash	2606 FSL, 1851 FEL
RWU 33-20B	20	070S	230E	4304733500	5670 Federal	WI	Α	Red Wash	2210 FSL, 2295 FEL
RWU 33-25A	25	070S	220E	4304733578	5670 Federal	WI	Α	Red Wash	1413 FSL, 1809 FEL
RWU 33-30B	30	070S	230E	4304733790	5670 Federal	WI	Α	Red Wash	1775 FSL, 1937 FEL
RWU 34 (23-14B)	14	070S	230E	4304715161	5670 Federal	WI	Α	Red Wash	1980 FSL, 1980 FWL
RWU 34-13A	13	070S	220E	4304733593	5670 Federal	WI	Α	Red Wash	1302 FSL, 1725 FEL
RWU 34-24A	24			4304733568	5670 Federal	WI	Α	Red Wash	1295 FSL, 2125 FEL
RWU 48 (32-19B)	19			4304715174	5670 Federal	WI	ı	Red Wash	1830 FNL, 1980 FEL
RWU 56 (41-28B)	28	070S	230E	4304715182	5670 Federal	WI	Α	Red Wash	660 FNL, 660 FEL
RWU 59 (12-24B)	24			4304716477	5670 Federal	WI	Α	Red Wash	1980 FNL, 660 FWL
RWU 6 (41-21B)	21			4304716482	5670 Federal	WI	Α	Red Wash	660' FNL, 660 FEL
RWU 61 (12-27A)	27			4304716478	5670 Federal	WI	i	Red Wash	2034 FNL, 689 FWL
RWU 68 (41-13B)	13			4304716485	5670 Federal	WI	ı	Red Wash	660 FNL, 660 FEL
RWU 7 (41-27B)	27	070S	230E	4304716473	5670 Federal	WI	ı	Red Wash	567 FNL, 621 FEL
RWU 88 (23-18B)	18			4304715210	5670 Federal	W	Α	Red Wash	1980 FSL, 1980 FWL
RWU 91 (33-22B)	22			4304716479	5670 Federal	WI	Α	Red Wash	1980 FSL, 3300 FWL
RWU 93 (43-27B)	27			4304716480	5670 Federal	WI	I	Red Wash	660 FSL, 660 FEL
RWU 324 (23-16B)	16	070S	230E	4304733084	5670 State	WI	I	Red Wash	1274 FSL, 1838 FWL

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed	l below has chang	ged, effec	tive:		2	/1/2003			İ
FROM: (Old Operator):				TO: (Nev	v Operator):			•	
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526				110	P Uinta Basin 02 E 17500 S nal, UT 8407				
Phone: (435) 781-4341	CA No.		·	Phone: Unit:	(435) 781	-4341 RED WA	SH UNIT	r	
WELL(S)	CA No.			Unit:		KED WA			
NAME		SECTW	'N RNC	G API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Con

NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL	Confid
					NO	TYPE	TYPE	STATUS	
RWU 34-13A	13	070S	220E	4304733593		Federal	WI	Α	
RWU 34-24A	24	070S	220E	4304733568		Federal	WI	Α	<u> </u>
RWU 31-25A	25	070S	220E	4304733577		Federal	WI	Α	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	Α	<u> </u>
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	1	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	Α	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	Α	<u> </u>
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	Α	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	1	<u> </u>
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	Α	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	Α	<u> </u>
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	Α	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	1	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	Α	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	Α	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	Α	↓
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	Α	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	1	ļ
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	Α	<u> </u>

OPERATOR CHANGES DOCUMENTATION

Enter date af	iter eacl	h listed	item i	s comp	leted
---------------	-----------	----------	--------	--------	-------

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 6/2/2003

3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 6/19/2003

4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If NO, the operator was contacted contacted on:

6. (R6	649-9-2) Waste Management Plan has been received on:	IN PLACE	
7. I	Federal and Indian Lease Wells: The BLM and or the roperator change for all wells listed on Federal or Indian leases	BIA has approved the merger, name change, on: 7/21/2003	
8.]	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator to the successor of unit operator operato	For wells listed on: <u>7/21/2003</u>	
9.]	Federal and Indian Communization Agreements (The BLM or BIA has approved the operator for all wells listed	"CA"): within a CA on: n/a	
10. f	Underground Injection Control ("UIC") The I for the enhanced/secondary recovery unit/project for the water of	Division has approved UIC Form 5, Transfer of Authority disposal well(s) listed on: 9/10/2003	y to Injec
DAT	ΓA ENTRY:		
1. C	Changes entered in the Oil and Gas Database on:	9/16/2003	
2. (Changes have been entered on the Monthly Operator Change	Spread Sheet on: <u>9/16/2003</u>	
3. E	Bond information entered in RBDMS on:	n/a	
4. F	Fee wells attached to bond in RBDMS on:	n/a	
	TE WELL(S) BOND VERIFICATION:	0/5 002 022	
1. S	State well(s) covered by Bond Number:	965-003-032	
FEL	DERAL WELL(S) BOND VERIFICATION:		
1. F	Federal well(s) covered by Bond Number:	ESB000024	
IND	OIAN WELL(S) BOND VERIFICATION:		
1. I	ndian well(s) covered by Bond Number:	799446	
FEE	E WELL(S) BOND VERIFICATION:		
1. (1	R649-3-1) The NEW operator of any fee well(s) listed covered	by Bond Number 965-003-033	
2. T	he FORMER operator has requested a release of liability from	their bond on: n/a	-
	he Division sent response by letter on:	n/a	
LEA	ASE INTEREST OWNER NOTIFICATION:		-
3. (F	R649-2-10) The FORMER operator of the fee wells has been c	ontacted and informed by a letter from the Division	
0	of their responsibility to notify all interest owners of this change	on: <u>n/a</u>	
CON	MMENTS:		

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

1. DJJ

								2. CDW				
Change of Operator (Well Sold)				X - Opera	ator Nam	e Change/Me	erger	'				
The operator of the well(s) listed below has chan	ged,	effectiv	/e:	1/1/2007								
FROM: (Old Operator):				TO: (New Or	perator):							
N2460-QEP Uinta Basin, Inc.				N5085-Questar	•	pany						
1050 17th St, Suite 500				•	th St, Suite	•						
Denver, CO 80265					, CO 80265							
Phone: 1 (303) 672-6900				Phone: 1 (303)	672-6900							
CA No.				Unit:	072 0300	RED WASI	H UNIT					
WELL NAME	SEC	TWN	IRNC	API NO	ENTITY	LEASE TYPE		WELL				
WELL NAME	SEC	, I VVI	· Kut	ATTNO	NO	LEASE IIIE	TYPE	STATUS				
SEE ATTACHED LISTS				*								
OPERATOR CHANGES DOCUMENT	A TI	ION										
Enter date after each listed item is completed	AII	ION										
1. (R649-8-10) Sundry or legal documentation was	as rec	eived f	rom the	FORMER ope	rator on:	4/19/2007						
2. (R649-8-10) Sundry or legal documentation wa		_		4/16/2007	•							
3. The new company was checked on the Depart .		=		Database on:	•	1/31/2005						
4a. Is the new operator registered in the State of U				Business Numb	-	764611-0143						
5a. (R649-9-2)Waste Management Plan has been re		ed on:		- IN PLACE			-					
5b. Inspections of LA PA state/fee well sites comp				n/a	-							
5c. Reports current for Production/Disposition & S				n/a	-							
6. Federal and Indian Lease Wells: The BI			e BIA I	as approved the	merger na	me change						
or operator change for all wells listed on Feder					BLM	4/23/2007	BIA					
7. Federal and Indian Units:	GI OI	111(41(411	TOUSOS C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		- 1/25/2007		•				
The BLM or BIA has approved the successor	r of n	nit ope	rator fo	r wells listed on:	:	4/23/2007						
8. Federal and Indian Communization Ag		_			•							
The BLM or BIA has approved the operator			-	-								
9. Underground Injection Control ("UIC"					oved UIC F	orm 5, Transfer	of Autho	ority to				
Inject, for the enhanced/secondary recovery ur	-	oject fo	or the wa	ater disposal wel	ll(s) listed o	n:						
DATA ENTRY:	-			-	. ,			_				
1. Changes entered in the Oil and Gas Database	on:			4/30/2007 and	5/15/2007							
2. Changes have been entered on the Monthly O	perat	tor Cha	ange Sp	read Sheet on:		4/30/2007 and 5	5/15/2007	•				
3. Bond information entered in RBDMS on:				4/30/2007 and								
4. Fee/State wells attached to bond in RBDMS or				4/30/2007 and								
5. Injection Projects to new operator in RBDMS				4/30/2007 and								
6. Receipt of Acceptance of Drilling Procedures	or A.	PD/Ne	w on:		n/a							
BOND VERIFICATION:				TCD 000004								
1. Federal well(s) covered by Bond Number:				<u>FSB000024</u> 799446	-							
2. Indian well(s) covered by Bond Number:3a. (R649-3-1) The NEW operator of any state/fe		ille) lie	ted cov		umbor	965003033						
3b. The FORMER operator has requested a release		, ,		•	n/a	703003033	•					
LEASE INTEREST OWNER NOTIFIC		-	/ HOIII L	nen bond on.	ша	-						
4. (R649-2-10) The NEW operator of the fee wells			ontacted	l and informed b	v a letter fr	om the Division						
of their responsibility to notify all interest owner					n/a	om the Division						
						- 						
COMMENTS: THIS IS A COMPANY NAME (HAI	NGE.										

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161		Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172		Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173		Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174		Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175		Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178		Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179		Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182		Federal	WI	A

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA.
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	Р
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233		Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	-	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243		Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085) RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SENW	22	070S	230E	4304715260	5670	Federal	OW	TA.
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	-	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	ow	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SENW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290		Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291		Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294		Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295		Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296		Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298		Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301		Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	swsw	24	070S	230E	4304716472		Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473		Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475		Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476		Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477		Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478		Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479		Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480		Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482		Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485		Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495		Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496		Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	swsw	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498		Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060		Federal	WD	Α
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058		Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	Α
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313		Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314		Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340		Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341		Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342		Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343		Federal	OW	TA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518		Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679		Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682		Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683		Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819		Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538		Federal	GW	TA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	Α
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENW	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENW	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENW	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580		Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590		Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592		Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593		Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594		Federal	OW	P
RW 22-13A	RW 22-13A	SENW	13	070S	220E	4304733765		Federal	OW	S
RWU 22-29B	RW 22-29B	SENW	29		230E	4304733766		Federal	OW	S

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENW	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENW	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	ow	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

		DIVI	SION OF OIL, GAS AND M	ININ	NG			ASE DESIGNATION AND SERIAL NUMBER:
	SUNDRY	'NC	TICES AND REPORT	S	N WEL	LS		NDIAN, ALLOTTEE OR TRIBE NAME:
Do	not use this form for proposals to drill n	ew wel	ls, significantly deepen existing wells below co	iment (oottom-hole der	oth, reenter plugged wells, or to	7. UN	IT or CA AGREEMENT NAME:
	drill horizontal la	terals.	Use APPLICATION FOR PERMIT TO DRILL	form f	or such propos	als.	_1	e attached
•••	OIL WELL		GAS WELL . OTHER				ì	attached
	IAME OF OPERATOR	NI AI	ND PRODUCTION COMPA	NV		· · · · · · · · · · · · · · · · · · ·		NUMBER.
	DDRESS OF OPERATOR:	NAI				PHONE NUMBER:		ICHED AND POOL, OR WILDCAT:
	50 17th Street Suite 500 CH	Der	nver STATE CO ZII	₋ 80	265	(303) 308-3068		
	OCATION OF WELL OOTAGES AT SURFACE: attach (эd					COUN	ту: Uintah
a	TR/QTR, SECTION, TOWNSHIP, RAN	GE, ME	ERIDIAN:				STATE	
								UTAH
11.	T-1111111	<u>₹OP</u>	RIATE BOXES TO INDICA	[E]	<u></u>		DRT, C	R OTHER DATA
	TYPE OF SUBMISSION	 	ACIDIZE			YPE OF ACTION	,	
Z	NOTICE OF INTENT (Submit in Duplicate)	出	ACIDIZE ALTER CASING	늗	DEEPEN FRACTURE	TREAT		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
	Approximate date work will start:		CASING REPAIR	_	NEW CONS			TEMPORARILY ABANDON
	1/1/2007		CHANGE TO PREVIOUS PLANS		OPERATOR			TUBING REPAIR
			CHANGE TUBING		PLUG AND	ABANDON		VENT OR FLARE
	SUBSEQUENT REPORT (Submit Original Form Only)		CHANGE WELL NAME		PLUG BACK	;		WATER DISPOSAL
	Date of work completion:		CHANGE WELL STATUS		PRODUCTION	ON (START/RESUME)		WATER SHUT-OFF
	Date of Work completion.		COMMINGLE PRODUCING FORMATIONS		RECLAMAT	ION OF WELL SITE	\mathbf{Z}	отнея: Operator Name
			CONVERT WELL TYPE		RECOMPLE	TE - DIFFERENT FORMATION		Change
12.	DESCRIBE PROPOSED OR CO	MPLE	TED OPERATIONS. Clearly show all	pertin	ent details inc	duding dates, depths, volur	nes, etc.	
AN chi on Fe Uti Fe Cu att	ID PRODUCTION COM ange of operator is involute attached list. All operator Bond Number: 96 ah State Bond Number: e Land Bond Number: irrent operator of record, ached list.	PAN ved. erati 5500 965 965 QE	ions will continue to be covered to be cover	lves confidered ESB by r ANI on t	only an intinue to be by bond 000024) esigns as Neese, ED PRODU he attach	nternal corporate nate responsible for open numbers: soperator of the profixecutive Vice Presponsible for open numbers.	pperties	ange and no third party as of the properties described as as described on the QEP Uinta Basin, Inc. by assumes all rights, duties
				400l	ei Evbiói	auon and Froductio	ii OQIII	pany
NAMI	E (PLEASE PRINT) Detora K. S	tanb	perry) ()		TITLI	Supervisor, Reg	ulatory	Affairs
SIGN	ATURE (<u> </u>	Sharleng		DATE	3/16/2007		700
his so	ace for State use only)			_		Vb		

RECEIVED

APR 1 9 2007

FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

	DIVISION OF OIL, GAS AND M	INING	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached
	Y NOTICES AND REPORT		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SEE attached 7. UNIT OF CA AGREEMENT NAME:
Do not use this form for proposals to drill drill horizontal	new wells, significantly deepen existing wells below cullaterals. Use APPLICATION FOR PERMIT TO DRILL	ment bottom-hole depth, reenter plugged wells, or to form for such proposals.	see attached
1 TYPE OF WELL OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	Maddle		see attached
	ON AND PRODUCTION COMPAI	NY	attached
3 ADDRESS OF OPERATOR 1050 17th Street Suite 500	LY Denver STATE CO ZIE	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	TY Deriver STATE CO ZIE	(303) 308-3008	
FOOTAGES AT SURFACE: attach	ned		соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RA			STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE ALTER CASING	DEEPEN FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
1/1/2007	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: Well Name Changes
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
PER THE ATTACHED LIS	OMPLETED OPERATIONS. Clearly show all p ST OF WELLS, QUESTAR EXPL ES BE UPDATED IN YOUR REC	ORATION AND PRODUCTION C	es, etc.
NAME (PLEASE PRINT) Debra K. S	Stapberry	TITLE Supervisor, Regul	atory Affairs
SIGNATURE A	The Sens	DAIE 4/17/2007	
his space for State use only)			

RECEIVED
APR 1 9 2007



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Utah State Office

P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Red Wash Unit Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - Red Wash Unit (w/enclosure)

Agr. Sec. Chron Reading File Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 3 0 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING
CDW

_(Change of Operator (Well Sold)						X - Operator Name Change							
	The operator of the well(s) listed below has chan	iged,	effectiv	ve:	6/14/2010									
FI	ROM: (Old Operator): 6085-Questar Exploration and Production Compa 1050 17th St, Suite 500 Denver, CO 80265	(c) (Old Operator): Questar Exploration and Production Company O50 17th St, Suite 500					TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265							
Ph	one: 1 (303) 308-3048	(303) 308-3048												
	CA No.				Phone: 1 (303) Unit:		RED V	VASH						
WI	ELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE		WELL					
<u> </u>	SEE ATTACHED					110		IIFE	STATUS					
	PERATOR CHANGES DOCUMENT. ter date after each listed item is completed (R649-8-10) Sundry or legal documentation wa			rom tha	EODMED and		C/20/2010							
2.	(R649-8-10) Sundry or legal documentation wa	s rec	eived fi	com the	NEW anamatan	erator on:	6/28/2010							
3. 4a.	The new company was checked on the Departm Is the new operator registered in the State of U	nent Itah:	of Con	nmerce	, Division of C o Business Numbe	orporations	6/28/2010 Database on: 764611-0143		6/24/2010					
	(R649-9-2)Waste Management Plan has been red			,	Requested	_								
50.	Inspections of LA PA state/fee well sites compl Reports current for Production/Disposition & St	ete o	n:	,	n/a	-								
6.	Federal and Indian Lease Wells: The BL	unarı Mon	es on:	DIA L	ok	-	•							
٠.	or operator change for all wells listed on Federa	ivi ani	u or the	BIAN	as approved the									
7.	Federal and Indian Units:	ıı Oı ı	nuian i	eases of	a:	BLM	8/16/2010	BIA	not yet					
•	The BLM or BIA has approved the successor	ofur	it onen	aton for	wolle listed		0/1/2/2010							
8.	Federal and Indian Communization Agi	reem	onte (aloi 101 '' (' \ '')	wells listed on:	,	8/16/2010							
	The BLM or BIA has approved the operator for	or all	welle l	lieted w	ithin a CA on:		NT/A							
9.	Underground Injection Control ("UIC")) Di	vision	has an	nroved I IIC F	orm 5 Tron	N/A	4 4						
	Inject, for the enhanced/secondary recovery uni	it/pro	iect for	the wa	ter disposal wel	ll(s) listed o								
DA	TA ENTRY:	p. 0.	,000 101	tito via	ter disposar wer	u(s) nsteu oi	· -	6/29/2010						
1.	Changes entered in the Oil and Gas Database of	on:			6/30/2010									
2.	Changes have been entered on the Monthly Op		r Cha	nge Spi	read Sheet on:	•	6/30/2010							
3.	Bond information entered in RBDMS on:			_	6/30/2010									
	Fee/State wells attached to bond in RBDMS on:				6/30/2010									
5.	Injection Projects to new operator in RBDMS of	n:		_	6/30/2010	•								
	Receipt of Acceptance of Drilling Procedures fo	r AP	D/New	on:		n/a								
	ND VERIFICATION:													
	Federal well(s) covered by Bond Number:			_	ESB000024									
2.	Indian well(s) covered by Bond Number:			_	965010693									
3a.	(R649-3-1) The NEW operator of any state/fee	well	(s) liste	ed cover	red by Bond Nu	ımber	965010695							
3b.	The FORMER operator has requested a release	of li	ability 1	from the	eir bond on:	n/a								
	ASE INTEREST OWNER NOTIFICA													
4. (R649-2-10) The NEW operator of the fee wells l	has b	een cor	tacted:	and informed by	y a letter fro	m the Division							
	of their responsibility to notify all interest owners	s of tl	nis char	nge on:		n/a								
UUI	MMENTS:													

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS A	ND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER See attached
SUNDRY NOTICES AND REP	ORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells drill horizontal laterals. Use APPLICATION FOR PERMIT T	s below current bottom-hole depth, reenter plugged wells, or to FO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: See attached
1 TYPE OF WELL OIL WELL GAS WELL O	THER	8. WELL NAME and NUMBER: See attached
2 NAME OF OPERATOR: Questar Exploration and Production Company	N5085	9. API NUMBER: Attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 Denver	CO 21P 80265 PHONE NUMBER: (303) 672-6900	10. FIELD AND POOL, OR WILDCAT: See attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		соинту: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH
11 CHECK APPROPRIATE BOXES TO INITYPE OF SUBMISSION	DICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 6/14/2010 CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORM. CONVERT WELL TYPE 12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly starts Effective June 14, 2010 Questar Exploration and Prochange involves only an internal corporate name chaemployees will continue to be responsible for operation continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference Utah State Bond Number: 965003033) Fee Land Bond Number: 965003033 The attached document is an all inclusive list of the work of the list.	RECOMPLETE - DIFFERENT FORMATION thow all pertinent details including dates, depths, volume and uction Company changed its name to ange and no third party change of operations of the properties described on the angle of	QEP Energy Company. This name ator is involved. The same attached list. All operations will
NAME (PLEASE PRINT) Morgan Anderson	TITLE Regulatory Affair	s Analyst
SIGNATURE MORGANIAN AND MARIAN	DATE 6/23/2010	
This space for State use only)		

RECEIVED

JUN 2 8 2010

(See Instructions on Reverse Side) DIV. OF OIL, GAS & MINING

APPROVED 61301 2009
Carline Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
·			_	_		lease	JF		
RW 41-33B	33	070S	230E	4304720060	5670	Federal	WD	Α	
RW 43-28A	28	070S	220E	4304730058	5670	Federal		A	
RW 34-27B	27	070S	230E	4304715142	5670	Federal	WI	A	
RW 14-13B	13			4304715144	5670	Federal	WI	Α	
RW 41-20B	20	070S	230E	4304715146	5670	Federal	WI	Α	
RW 21-23B	23	070S	230E	4304715151	5670	Federal	WI	A	1
RW 23-14B	14	070S	230E	4304715161	5670	Federal	WI	A	
RW 41-28B	28	070S	230E	4304715182	5670	Federal	WI	A	
RW 23-18B	18	070S	230E	4304715210	5670	Federal	WI	A	
RW 43-21A	21	070S	220E	4304715219	5670	Federal	WI	A	-
RW 41-24A	24	070S	220E	4304715221	5670	Federal	WI	A	
RW 13-22B	22	070S		4304715261	5670	Federal	WI	A	
RW 23-15B	15	070S		4304715267	5670	Federal	WI	A	
RW 21-20B	20	070S		4304715281	5670	Federal	WI	A	+
RW 33-13B	13	070S	230E	4304715289	5670	Federal	WI	A	1
RW 21-34A	34	070S	220E	4304715303	5670	Federal	WI	Ī	
RW 14-24B	24	070S	230E	4304716472	5670	Federal	WI	A	
RW 41-27B	27	070S	230E	4304716473	5670	Federal	WI	I	
RW 43-28B	28	070S	230E	4304716475	5670	Federal	WI	S	
RW 23-23B	23	070S	230E	4304716476	5670	Federal	WI	A	
RW 12-24B	24			4304716477	5670	Federal	WI	A	
RW 33-22B	22			4304716479	5670	Federal	WI	A	
RW 41-21B	21			4304716482	5670	Federal	WI	A	
RW 41-15B	15			4304716495	5670	Federal	WI	I	1
RW 21-21B				4304716496	5670	Federal	WI	A	
RW 14-21B	21	070S	230E	4304716497	5670	Federal	WI	A	
RW 41-14B	14			4304716498	5670	Federal	WI	A	-
RW 21-27A	27			4304730103	5670	Federal	WI	A	-
RW 34-22A	22			4304730458	5670	Federal	WI	A	
RW 24-26B	26	070S	230E	4304730518	5670	Federal	WI	Ī	1
RW 31-35B	35	070S	230E	4304730519	5670	Federal	WI	A	1
RW 33-26B	26	070S	230E	4304730521	5670	Federal	WI	I	-
RW 13-26B	26	070S	230E	4304730522	5670	Federal	WI	A	
RW 11-36B	36	070S	230E	4304731052	5670	Federal		A	
RW 31-26B				4304731077	5670	Federal	WI	A	
RW 42-35B				4304731081	5670	Federal	WI	I	
RW 23-17B				4304732739	5670	Federal	WI	Ā	
RW 43-17B				4304732980	5670	Federal		A	
RW 43-18B				4304732982	5670	Federal		A	
RW 13-19B				4304733497	5670	Federal		A	
RW 13-20B				4304733498	5670	Federal		A	
RW 33-19B				1304733499	5670	Federal		A	-
RW 33-20B				1304733500	5670	Federal		A	
RW 11-19B				1304733552	5670			A	ļ

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
				_		lease	31		
RW 11-20B	20	070S	230E	4304733553	5670	Federal	WI	Α	
RW 31-19B	19	070S	230E	4304733555	5670	Federal	WI	Α	
RW 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RW 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RW 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RW 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	+
RW 33-25A	25			4304733578	5670	Federal	WI	TA	
RW 11-29B	29	070S		4304733590	5670	Federal	WI	A	
RW 12-24A	24	070S		4304733591	5670	Federal	WI	A	_
RW 34-13A	13	*************		4304733593	5670	Federal	WI	A	
RW 11-30B	30			4304733785	5670	Federal	WI	A	-
RW 31-30B				4304733788	5670	Federal	WI	A	
RW 33-30B	30			4304733790	5670	Federal	WI	A	

Bonds: BLM = ESB000024 BIA = 956010693 State = 965010695



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS **UDOGM**

AUG 16 2018

DIV. OF OIL, GAS LANDERS

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

	TRANSFER OF AU	THORITY TO INJ	ECT	
Well Name and See Attache	Number		API Number Attached	
Location of We	II		Field or Unit Name	
Footage: A	Attached	County:	Attached Lease Designation and Number	
QQ, Section	, Township, Range:	State: UTAH	Attached	
EFFECTIVE	DATE OF TRANSFER: 6/14/2010	ì		
CURRENT OF	PERATOR			
Company:	Questar Exploration and Production Company	Name: A	an Petrik	
Address:	1050 17th Street, Suite 500	Signature:		
	City Denver state CO zip 80265		nginedring Analyst	
Phone:	(303) 672-6900		28/2010	
Comments		Date.		
NEW OPERA	TOR		_	
	QEP Energy Company	~		
Company:	1050 17th Street, Suite 500	- Name.	n Petrik	
Address:		_ Signature:	oginaering Analyst	
D:	<u>city Denver</u> <u>state CO</u> <u>zip</u> 80265 (303) 672-6900	6.6	ngineering Analyst \ 28/2010	
Phone:		_ Date: 6/	28/2014	
Comments	:			
This space for S	tate use only)			
Transfer ap	4	Approval Date		
Comr	Title: Accepted by the Utah Division of Oil, Gas and Mining	Et	PA approved well	
	Date: /z 1/10			
	By: D.	-	RECEIVE	
/2000)			JUN 2 8 2010	

(5/2000)

DIV. OF OIL, GAS & MINING

Sundry Number: 15048 API Well Number: 43047335770000

	STATE OF UTAH		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-0561		
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for propo bottom-hole depth, reenter pl DRILL form for such proposals	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Water Injection Well			8. WELL NAME and NUMBER: RW 31-25A
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047335770000
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ve		PHONE NUMBER: 08-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1248 FNL 2159 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IP, RANGE, MERIDIAN: 5 Township: 07.0S Range: 22.0E Meridia	an: S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDIC	CATE NATURE OF NOTICE, REPOR	Γ, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	☐ ALTER CASING	☐ CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	CHANGE WELL NAME
5/12/2012	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK
_	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	✓ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
QEP Energy Com	pany is requesting 12 montl pany is requesting 12 montl order to permit and deepen Formation.	ns TA status on the above this well to the Mesaverde	Accepted by the Utah Division of Oil, Gas and Mining Date: 06/07/2011 By:
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 5/12/2011	

Sundry Number: 72807 API Well Number: 43047335770000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill naw wells, significantly deepen, orising wells below the proposals. The proposals of drill naw wells, significantly deepen, orising wells below. AUNITOR CA AGREEMENT NAME: AURITOR OF WELL Water Injection Well Water In		FORM 9						
Do not use this form for proposals to drill new wells, significantly despen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION RPD PRIVATE DOTALL from for such proposals. 1. TYPE OF WELL WASH 1. TYPE OF WELL PROPERTY OF WELL PROPERTY OF COMPANY 1. TYPE OF SUBMISSION TYPE OF WELL TYPE OF SUBMISSION TYPE OF WELL								
CUTCH DOTALL DOTALL DOTALL DATA AND EMBELS IN AMERICAN PROPOSALS. 1.17YPE OF WELL WASHINGTON WILL BAD TO SHAPE AND	SUNDR	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Valer injection Well	current bottom-hole depth,	reenter plugged wells, or to drill horizont						
ADDRESS OF OPERATOR: 3. ADDRESS OF OPERATOR: 1. THOUSE SAST 17500 South , Vernal, Ut, 84078 3. 30 595-5919 Ext 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1.245 FNL 2159 FEL 1.245 FNL 2159 FEL 1.245 FNL 2159 FEL 1.245 FNL 2159 FEL 1.246 FNL 2159 FNL 1.246 F								
1-1002 East 1750 South , Vernal, Ut, 84078 1-1004 Met. L. CACATION OF WELL 1-FOOTAGES AT SURFACE: 1-1248 FNL 2159 FEL OTRIVITY, SECTION, TOWNSHIP, RANGE, MERIDIAN: CITYOTT, NWINE Section: 25 Township: 07.05 Range: 22.0E Meridian: S 1-1 THE OF SUBMISSION TYPE OF ACTION ACIDIZE								
POOTAGES AT SURFACE: 1248 FNL 2159 FEL OTROUTS, SECTION, TOWNSHIP, RAMOE, MERIDIAN: OTHORY, NEW Section, 25 Township: 07.05 Range: 22.0E Meridian: S TYPE OF SUBMISSION TYPE OF ACTION TYPE OF SUBMISSION ACIDIZE ALTER CASING ACIDIZE ACIDIZE ALTER CASING ACIDIZE ACIDIZE ALTER CASING ACIDIZE ACIDIZ								
TYPE OF SUBMISSION TYPE OF ACTION **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION **ACRICLE OF INTEXT** Approximate date sort will start: 8/1/2/016 CARROLLE TREAT** CHANGE FOR PREVOUS PLANS CHANGE TUBING CARROLLE PRODUCTION CHANGE WELL HAME	FOOTAGES AT SURFACE:							
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	QTR/QTR, SECTION, TOWNSH		an: S					
A NOTICE OF INTERN A NOTICE OF INTERN A SPECIMENT ENDER THE CHANGE TO PREVIOUS PLANS CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS CHANGE WELL STATU		K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA				
Appreciated server will start: 8/1/2016 GHANGE TO PREVIOUS PLANS GHANGE TUBBNO GHANGE WELL NAME GHANGE WELL STATUS PLUG AND ABANDON PLUG BACK RECOMPLETE DIFFERENT FORMATION BUBBRACK TO REPAIR WELL TEMPORARY ABANDON TUBBNO REPAIR WATER SHUTOFF WATER SHUTOFF SI AS STATUS EXTENSION GHAPE 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP Energy Company requests authorization to plug and abandon the above captioned well per the attached procedure and wellbore diagram. NAME (PLEASE PRINT) Laura Abrams 303 260-6745 DATE CHANGE TUBBNO CHANGE TUBBNO GHANGE WELL STATUS RECOMPLETE DIFFERNT FORMATION TEMPORATION OF WELL STE RECOMPLETE DIFFERNT FORMATION TEMPORATION OF WELL STE RECOMPLETE DIFFERNT FORMATION OTHER OTHER OTHER APD EXTENSION OTHER STILLE St. Regualtory Affairs Analyst SIGNATURE	TYPE OF SUBMISSION		TYPE OF ACTION					
APPCIANTE AS WORL WILL STATUS GHANGE TO PREVIOUS PLANS COMMINGE TUBBIG CHANGE TUBBIG	A NOTICE OF MITTING	ACIDIZE	ALTER CASING	CASING REPAIR				
CHANGE WELL STATUS	Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME				
Date of Work Completion: OPERATOR CHANGE PLUG AND ABANDON PLUG BACK	0/1/2010	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE				
OPERATOR CHANGE PLUG AND ABANDON PLUG BACK		DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION				
SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WAITER DISPOSAL WAITER DISPOS		OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK				
Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUTOFF SI TA STATUS EXTENSION AND EXTENSION OTHER OTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP Energy Company requests authorization to plug and abandon the above captioned well per the attached procedure and wellbore diagram. NAME (PLEASE PRINT) PHONE NUMBER TITLE Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE		PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION				
DRILLING REPORT Report Date: WATER SHUTOFF		REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON				
NAME (PLEASE PRINT)		TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL				
DAME (PLEASE PRINT) PHONE NUMBER Laura Abrams 303 260-6745 SIGNATURE DATE		WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION				
RAME (PLEASE PRINT) Laura Abrams PHONE NUMBER Laura Abrams PHONE NUMBER SIGNATURE PHONE NUMBER TITLE Sr. Regualtory Affairs Analyst DATE Approved by the Ultably D7vi2@16of Oil, Gas and Mining PHONE NUMBER Sr. Regualtory Affairs Analyst DATE	Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:				
RAME (PLEASE PRINT) Laura Abrams PHONE NUMBER Laura Abrams PHONE NUMBER SIGNATURE PHONE NUMBER TITLE Sr. Regualtory Affairs Analyst DATE Approved by the Ultably D7vi2@16of Oil, Gas and Mining PHONE NUMBER Sr. Regualtory Affairs Analyst DATE	12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, of	depths. volumes. etc.				
NAME (PLEASE PRINT) Laura Abrams PHONE NUMBER TITLE Sr. Regualtory Affairs Analyst SIGNATURE Oil, Gas and Mining Date: By: TITLE Sr. Regualtory Affairs Analyst	l .		-	TOTAL STATE OF THE				
NAME (PLEASE PRINT) Laura Abrams PHONE NUMBER Sr. Regualtory Affairs Analyst SIGNATURE Date: By: Date: Date: By: Date: ate: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date		•	. •	Whally 07yi20016of				
NAME (PLEASE PRINT) Laura Abrams PHONE NUMBER Sr. Regualtory Affairs Analyst SIGNATURE DATE				Oil, Gas and Mining				
NAME (PLEASE PRINT) Laura Abrams 303 260-6745 SIGNATURE PHONE NUMBER TITLE Sr. Regualtory Affairs Analyst DATE				Date:				
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE				By: Dork Out				
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
Laura Abrams 303 260-6745 Sr. Regualtory Affairs Analyst SIGNATURE DATE								
SIGNATURE DATE				/st				
N/A 7/5/2016	SIGNATURE							

Sundry Number: 72807 API Well Number: 43047335770000

P&A Wellbore

Well Name: RW 31-25A AFE:

Field: Red Wash Well Code: 302829301

Location: SW¼SE¼ S25-T7S-R22E

County: Uintah State: Utah

API: 43-047-33577

WI: 100.00% NRI: 0.00%

 Well Data:
 TD:
 5,967
 PBTD:
 5,950

GL: 5,483 **KB**: 5,498

Casing & Cementing:

Surface: 12 1/4" Hole Size

9-5/8" 36#, J-55 set @ 451'.

Cement w/ 195 sks

Production: 7 7/8" Hole Size

5-1/2", 15.5#, J-55 set @ 5,967'

Cement w/ 820 sks TOC @ 1760'

Perforations: 5730'-33', 5788'-92', 5872'-74' Open

5098'-5100', 5113'-15', 5135'-39', 5642'-46', 5668'-70' Excluded 5682'-84' Excluded

Operation: P&A wellbore

Program:

MIRU service unit, kill well if necessary, ND WH and NU BOP

Release Packers and POOH w/ 2-3/8" and 2-7/8" tubing

RU Wireline, RIH w/ CIBP and set @ ±5,050', RD wireline

RIH with open ended to top of CIBP

Fill hole with a minimum 9 ppg fluid(containing corrosion inhibitor and biocide)

Spot 100' (12 sacks) of cement on top of CIBP

Pull up 4 stands and reverse circulate to clear tubing

Pressure test plug and casing to 1000psi for 15 minutes w/ <10% loss

POOH with tubing to 4144', set a balanced cement plug from 3956' to 4144'(26 sacks)

POOH with tubing to 3097', set a balanced cement plug from 3097' to 2909'(26 sacks)

POOH w/ 2-3/8" tubing

RU wireline, perforate the casing at 501', RD wireline

ND BOP, NU pumping adapter

Establish circulation down production casing and up annulus

Pump cement down casing and up annulus, or until good returns are seen at surface(36 sacks)

Cut off wellhead 3' below ground and weld on a dry hole marker

Cap information requirements

QEP Resources Lease serial number

Well number

Sec. Twnshp, and Range

GPS wellhead location and note on report

Clean up location, RDMO

RECEIVED: Jul. 05, 2016

Sundry Number: 72807 API Well Number: 43047335770000

FIELD: Red Wash	GL: 5483 ' KBE: 5498 '	Start Date:4/15/03 Fi	inish Date:4/17/03
Well: RWU #31-25A	TD: 5967 ' PBTD: 5950 '	5967 ' PBTD: 5950 ' Current Well Status: Water Injection Well	
Location: SW¼SE¼ S24-T7S-R22E API#	Reason for Pull/Workover: # 43-047-33577 Failed MIT Test Isolate Squeez Perfs		
	UT2899-04608	Talled WITT Test Isolate Squeez Teris	
Wellbore Schematic		Tubing Landing Detail:	
		Description	Size Footage Depth
Surface casing Size 9 5/8" Weight 36# Grade J-55 Cmtd w/ 195 sxs		KB to Tbg Head Stretch 155 JTS 2 7/8 X 2 3/8 X-OVER 5 1/2 HYDROW SET PKR 21 JTS 2 3/8 TBG J-55	15.00 (2.00) 2 7/8" 5,005.42 2 7/8" 0.52 ## 7.50 2 3/8 681.45
Set @ 451'		1.81 f- nipple	## 0.92
Hole size 121/4"		Arrowset I packer	5½" x 2 3/8 7.35
EXCLUDED PERFS C	(Do not want to cut Casing) TOC @ 1760 ' OPEN PERFS GR top @ 3068'	EOT Tubing Information Condition: New: Used: Grade: J-55 Weight (#/ft): 6.50 Sucker Rod Detail: Size Rods	
	oil shale 4006'-4094' rement 3956'-4144'(26 sacks)		tun Date:
	CIBP w/ 100' CMT	Rerun: New Run:	Rebuild:
	Set @ 5,050'	ESP Well Cable Size:	Flowing Well "R" NIPPLE
Fu/ Squeezed F000' F100'		Pump Intake @ End of Pump @	PKR @
Eu6 Squeezed 5098'-5100' Eu6 Squeezed 5113'-5115'		Wellhead Detail:	
Ev5 Squeezed 5135'-5139' Eagle re-sqzd w/ 50 sxs		7 1/16" 2000# 7 1/16" 3000# X	
		7 1/16" 5000# Other:	
		Tbg Hanger Type: Donut:	Bonnet:
5642'-5646 Gw4		SUMMARY	
Gulch zones sqzd w/ 100 sxs 5668'-5670' Gx3		RIH w/CIBP and set @ 5,592'	
5682'-5684' Gy2		Circulate a minimum of 35' of cement on to	p of CIBP
		POOH with tubing to 2968', balance a ceme	ent plug from 2968' to 3168'
	5730'-5733' Lv5	RU wireline, perforate the casing at 500', RI	D wireline
	5788'-5792' Ly2	RIH with 2-7/8" tubing, Attempt to circulate upon cement down casing and up annulus,	
	5700-5772 Ly2	Ensure 3' of working space to cut off wellher	
Production casing	5872'-5874' Mesa		
Size <u>5 1/2"</u> Weight <u>15½</u> #			
Grade <u>J-55</u>			
Cmtd w/ 820 sxs Set @ 5967'	PBTD @ 5950 ' TD @ 5967 '		
Hole size 7 ^{7/8"}	_		
Prepared By: RG DIXON Date	te: 5/14/03		